

CHAPTER 1 - REFERENCES

- 1 NI Association for Mental Health (2003). Time for Change, NIAMH. (S)

CHAPTER 2 – REFERENCES

- 1 Thornicroft G, Maingay S (2002). The Global Response to Mental Illness. *Br Med J* 325, 608-609. (S)
- 2 Digan T (2002). Newtson Research: Poverty in Northern Ireland. Office of First Minister and Deputy First Minister Research Branch. (R)
- 3 Labour Force Survey Trends (August 2002). Labour Market Experience of People with Disabilities. (S)
- 4 Northern Ireland Statistics and Research Agency. Northern Ireland Summary of Social Security Statistics (2003). (S)
- 5 Health and Social Care in Northern Ireland: A Statistical Profile (2002). Ed L McWhirter Northern Ireland Statistics and Research Agency. (R)
- 6 McConnell P, Bebbington P, McClelland R, et al (2002). Prevalence of Psychiatric Disorder and the Need for Care in Northern Ireland. *Br J Psychiat* 181, 214-219. (S)
- 7 Bebbington PE, Marsden L, Brewin C (1997). The Need for Psychiatric Treatment in the General Population. *Psychol Med* 27, 821-834. (S)
- 8 McConnell P, Bebbington P, McClelland R, Gillespie K (2003). Public Violence, Social Deprivation and Psychiatric Disorder in Northern Ireland. (unpublished). (S)
- 9 Northern Ireland Statistical and Research Agency (2001). The Northern Ireland Multiple Deprivation Measure. (R)
- 10 McGilloway S, Donnelly M (1996). Don't Look Away: Homelessness and Mental Health in Belfast. Belfast Queen's University. (S)
- 11 Cairns E, Mallett J, Lewis C, Wilson R (2003). Who are the Victims? NI Research and Statistics Branch: Report No 7 NI Statistics Research Agency. (R)
- 12 O'Reilly D, Stephenson (2003). Mental Health in Northern Ireland: Have "The Troubles" Made it Worse? *J Epid Comm Hlth* 57, 488-492. (R)
- 13 Bebbington PE, Metzger H, Brugha T et al (2000). Unequal Access and Unmet Need. *Psychol Med* 30, 1359-1368. (R)
- 14 Jenkins R, Lewis G, Bebbington PE et al (1997). The National Psychiatric Morbidity Survey of Great Britain. *Psychol Med* 27, 775-790. (R)
15. Knapp M (2003), Hidden Costs of Mental Illness. *Brit J Psychiat*. 183, 477-478. (R)

16. NIAMH (2004). The Economic and Social Costs of Mental Illness. (R)
17. The Sainsbury Centre (2003). The Economic and Social Costs of Mental Health Illness. Policy Paper 3. (R)

CHAPTER 3 – REFERENCES

1. Starfield B (2001). Primary Care. Br J Gen Practice. (vol, pgs) (D)
2. Pransky J (2001). Prevention, the Critical Need, Burrell foundation/Paradigm Press. (R)
3. The Present and Future of Prevention – In Honour of George W Albee. Edited by Marc Kessler SAGE 1992. (S)
4. Heenan D (2004). Health Promotion International. 19, 105-113. (R)
5. Sykes S (2002). A Social Prescribing Scheme in Penge and Anerley. J Py Care Ment Hlth. 6, 11. (S)
6. Canadian Mental Health Association website www.ontario.cmha.ca (R)
7. Schneider J et al (2001). Carers and Community Mental Health Services. Soc Psychiatry Psychiatr Epidemiol. 36, 604-7. (D)
8. Simpson E, House A (2002). Involving Users in the Delivery and Evaluation of Mental Health Services: Systematic Review. BMJ. 325, 1265. (D)
9. Barrowclough C et al (1999). Randomised Controlled Effectiveness Trial of a Needs Based Psychosocial Intervention Service for Carers of People With Schizophrenia. Br J Psychiat. 174, 505-11. (D)
10. www.stigma.org. (D)
11. Sartorius N (2002). Iatrogenic Stigma of Mental Illness BMJ. 324,1470-71. (N)
12. Bolton J (2003). How Can We Reduce the Stigma of Mental Illness? Career Focus, BMJ. 326, S57. (R)
13. Goldberg D et al – ISBN 1 85315 451 2. (D)
14. Counselling in Northern Ireland (2002). Report of the Counselling Review. Dept of Health, Social Services and Public Safety. (D)
15. NHS Psychotherapy Services in England (2002). Review of Strategic Policy. NHS Executive. (D)
16. Making it better: A Strategy for Pharmacy in the Community. Dept of Health, Social Services and Public Safety (2004). (S)
17. www.bap.org.uk/consensus/antidepressants.html (A)
18. www.nice.org.uk (A)
19. Hodges B, Inch C, Silver I (2001). Improving the Psychiatric Knowledge, Skills and Attitudes of Primary Care Physicians. Am J Psychiat. 1579, 86. (D)

CHAPTER 4 – REFERENCES

1. Tourish D, Hargie O (2004) Key Issues in Organisational Communication. London Routledge. (S)
2. Tyrer P, Coid J, Simmonds S et al (2000). Community Mental Health Teams for People with Severe Mental Illness and Disorder Personality. Cochrane Database of Systematic Reviews. Issue 1. (A)
3. Thornicroft G, (Becker T, Holloway F, et al (1999). Community Mental Health Teams: evidence or belief. Br J Psychiat 175, 508-513. (S)
4. Simmonds S, Coid J, Joseph P, Marriott S, et al (2001). Br J Psychiat 178, 497-502. (A)
5. Department of Health (2000). Mental Health Policy Implementation Guidance. (S)
6. Tyrer et al (1998). An investigation between clinical teams in the use of hospital beds. Department of Health Research Report, London. (R)
7. Glover G, Barnes D (2002). Mental Health Service Provision for Working Age Adults in England 2002. NIMH University of Durham. (S)
8. Snowden H, Marriott S (2003). Developing a Local Shared Care Protocol for Managing People with Psychotic Illness. Psychiat Bull 27, 261-266. (R)
9. Shepherd G, Beadsmore A, Moore C, et al (1997). Relationship between bed use, social deprivation and overall bed availability in adult acute psychiatric units and alternative residential options. Br J Psychiat 314, 262-266. (R)
10. Fulop NJ et al (1996). Use of acute psychiatric beds. J Pub Health Med 18, 207-214. (R)
11. Smyth MG (2003). Crisis Resolution/Home Treatment and Inpatient Care. Psychiat Bull 27, 44-47. (S)
12. Dean C, Gadd EM (1990). Home treatment for acute psychiatric illness. B Med J 301, 1021-1023. (R)
13. Joy TB, Adams CE, Rice K et al (2003) Crisis Intervention for people with severe mental illness. Cochrane Review issue 1. (A)
14. Carroll A, Pickworth J, Protheroe D (2001). Service innovations: an Australian approach to community care – the Northern Crisis Assessment and Treatment Team. Psychiat Bull 25, 439-441. (R)
15. Smyth MG, Hoult J (2000). B Med J 320, 305-307. (S)
16. Ford R, Kwakwa (1996). Rapid reaction, speedy recovery. Health Service J 18, 30-31. (R)

17. Goodwin R, Lyons JS (2001). An Emergency Housing Programme as an alternative to inpatient treatment for persons with severe mental illness. *Psychiat Serv* 52, 92-95. (N)
18. Fenton WS, Hoch JS, Herrell JM et al (2002) Cost and Cost Effectiveness of Hospital vs Residential Crisis Care for Patients who have Serious Mental Illness. *Arch Gen Psych* 59, 357-364. (A)
19. National Institute for Clinical Excellence (2002). Schizophrenia National Collaborating Centre for Mental Health. (S)
20. Marshall M, Crowther R, Almaraz-Serrand AM, Creed F, Sledge WH et al (2003). Day Hospital Versus Admission for Acute Psychiatric Disorders. *Cochrane Review*, issue 1. (A)
21. Department of Health (2000). Mental Health Policy Implementation Guide. Adult Acute Inpatient Care Provision. (S)
22. Goddard M, McDonagh M, Smyth D (1999). Acute hospital care final report. Centre for Health Economics, University of York. (R)
23. Sainsbury Centre (1998). Acute Problems. A Survey of the Quality of Care in Acute Psychiatric Wards. (R)
24. NI Association for Mental Health (2003) Time for Change, NIAMH. (S)
25. Rooney P, Developing Integrated Acute Care, National Institute for Mental Health (England) Personal Communication.
26. Royal College of Psychiatrists (1998). Not just bricks and mortar (CR62). (S)
27. Kennedy P (2003). CRHT for Rural Areas: the Monaghan story: more than the sum of all the parts. Northern Centre for Mental Health. (S)
28. McGlennon D, Bebbington P, McConnell, P et al (2003). Severe Mental Illness and Needs for Care in Northern Ireland –a population study in the District of Derry (unpublished). (R)
29. MHA Village (2000). Gold Award: A Comprehensive Treatment Programme Helps Persons with Severe Mental Illness Integrate Into the Community. *Psychiat Serv* 51, 1436-1438. (S)
30. Royal College of Psychiatrists (2000). Community Care (CR86) Royal College of Psychiatrists London. (S)
31. Boardman AP, Hodgson RE, Lewis M et (1999). *Br J Psychiat* 175, 70-78. (R)
32. Leff J (2002). Deficiencies in Community Based Mental Health Care and Possible Remedies, *World Psychiat* 1, 93-94. (S)

33. Stein LI, Test MA (1980). Alternative to Mental Hospital Treatment. *Arch Gen Psychiat* 37, 392-397. (D)
34. Holt J, Reynolds I, Charbonneau-Powis M, et al (1983). Psychiatric hospital versus community treatment. *Aus NZ J Psych* 17, 160-167. (A)
35. Marshall M, Lockwood A (2000). Assertive Community Treatment for People with Severe Mental Disorders. *Cochrane Database of Systematic Reviews*, Issue 1. (A)
36. Burns T, White I, Byfort S et al (2002). Exposure to Case Management: Relationships to Patient Characteristics and Outcome. *Br J Psychiat* 181, 236-241. (A)
37. Catty J, Burns T, Knapp M, et al (2002). Home Treatment for Mental Health Problems: a Systematic Review. *Psychol Med* 32, 383-401. (A)
38. Scott JE, Dixon LB (1995). Assertive Community Treatment and Case Management for Schizophrenia. *Schiz Bull* 21, 657-668. (A)
39. Kent A, Fiander M, Burns T (2003). Does Extra Staff Change Clinical Practice? *Acta Psychiat Scand* 107, 50-53. (A)
40. Martin FM (2000). Relevant training for case managers in severe mental illness. *Br J Psychiat* 176, 564. (S)
41. Wilson J, Gardner J (2000). Assertive Outreach could be cost effective. *Br J Psychiat* 176, 564. (S)
42. Fiander M, Burns T, McHugo GJ et al (2003). Assertive Community Treatment Across the Atlantic. *Brit J Psychiat* 182, 248-254. (R)
43. Ziguras SJ, Stuart GW (2000). *Psychiat Serv* 51, 1410-21. (S)
44. Mueser KT, Bond GR, Drake RE et al (1998). Models of Community Care for Severe Mental Illness. *Schiz Bull* 24, 37-74. (A)
45. Lehman AF, Dixon LB, Kernan E et al (1997). A randomised trial of assertive community treatment for homeless persons with severe mental illness. *Arch Gen Psychiat* 54, 1038-1043. (D)
46. Sainsbury Centre (1998). *Keys to Engagement*. (S)
47. Kai J, Crosland A (2001). Perspectives of People with Enduring Mental Ill Health from a Community-Based Qualitative Study. *Br J Gen Pract* 51, 730-736. (S)
48. Norman RM, Malla AK (2001). Duration of Untreated Psychosis: a Critical Examination of the Concept and its Importance. *Psychol Med* 31, 381-400. (A)
49. Harrison G, Hopper K, Craig T et al (2001). Recovery from Psychotic Illness. *Br J Psychiat* 178, 506-517. (R)

50. Pelosia, Birchwood M (2003). Is early intervention of psychosis a waste of valuable resources? *Br J Psychiat* 182, 193-195. (S)
51. Wyatt R, Green MF, Tuma AH (1997). Long term morbidity associated with delayed treatment of first admission schizophrenic patients. *Psychol Med* 27, 261-268. (D)
52. Browne S, Clarke M, Girvin M et al (2000). Determinants of quality of life at first presentation with schizophrenia. *Br J Psych* 176, 173-176. (R)
53. National Service Framework Mental Health (1999). (S)
54. Smith J (2003). Worcestershire Mental Health Partnership NHS Trust (personal communication).
55. Richards M, Maughn B, Hardy R, et al (2001). Long-term effective disorder in people with mild learning disability *B J Psychiat* 179,523-527. (R)
56. Royal College of Psychiatrists (2003). CR115 Meeting with Mental Health Needs of Adults with a Mild Learning Disability. Royal College of Psychiatrists London (S)
57. Royal College of Psychiatrists (2002). Caring for People who Enter Old Age with Enduring or Relapsing Mental Illness. Royal College of Psychiatrists London. (S)
58. Shepard, G (1998) Social functioning and challenging behaviour. In; *Handbook of Social functioning in Schizophrenia*; eds. Mueser, KT, Tarrier N. Boston, Allyn & Bacon. (S)
59. Mann, S, Cree W (1976) 'New' long-stay psychiatric patients: *Psychol Med*, 6, 603-616. (R)
60. Holmes-Eber, P, Riger, S, (1990) Hospitalisation and the composition of mental patients' social networks. *Schiz Bull* 16, 157-164. (R)
61. Menezes P, Johnson S, Thornicroft G, et al (1996) Drug and alcohol problems among individuals with severe mental illness in south London *Br J Psych* 168, 612-619. (D)
62. Wing J (1992) Epidemiologically-based mental health needs assessment. Royal College of Psychiatrists. London. (R)
63. Burns T, Firn M (2002) *Assertive Outreach in Mental Health- a manual for practitioners*. Oxford; Oxford University Press. (R)
64. Department of Health (2001). *The mental health policy implementation guide- National Minimum Standards for General Adult Services in Psychiatric Intensive Care Units and Low Secure Environments*. Department of Health, London. (S)
65. Reed JL (1992). *Review of health and social services for mentally disordered offenders and others requiring similar services*. Department of Health, London. (S)
66. <http://www.monaghanmodel.com/implications.htm> (S)

67. <http://www.rethink.org-news+campaigns-policies-policy-pdfs-17.secure> (S)
68. Appleby L (2000) Drug misuse and suicide: a tale of two services. *Addn* 95, 175-177 (S)
69. Safer Services- National Confidential Inquiry into Suicide and Homicide by People with Mental Illness (1999). Department of Health. (R)
70. Hall W, Farrell M (1997). Comorbidity of mental disorders with substance misuse. *Br J Psychiat*, 171, 4-5. (S)
71. Phillips P, Johnson S (2003). Drug and alcohol misuse among inpatients with psychotic illness in three inner-London psychiatric units. *Psych Bull*, 27, 217-220. (R)
72. Barnaby B, Drummond C, McCloud A, Burns T, Omu N (2003) Substance misuse in psychiatric inpatients: *Br Med J*, 327, 783-784. (R)
73. Foster T (2001). Suicide – ‘Dying for a drink’ *Br Med J*, 323:817-8. (S)
74. Ward M & Applin C (1998). *The Unlearned Lesson*. London: Wynne Howard Books. (S)
75. Harris E, Barraclough B (1998). Excess mortality of mental disorder. *Br J Psychiat*, 173, 11-53. (R)
76. Department of Health, The Scottish Office Department of Health, Welsh Office, Department of Health and Social Services, Northern Ireland (1999). *Drug Misuse and Dependence Guidelines on Clinical Management*. The Stationery Office. (S)
77. Abdulrahim D (2001) *Substance Misuse and Mental Health Co-Morbidity (Dual Diagnosis) – Standards for Mental Health Services*. Health Advisory Service London. (S)
78. *Mental Health Policy Implementation Guide-Dual Diagnosis Good Practice Guide* (2000). Department of Health. (S)
79. Banerjee S, Clancey C, Crome I (2002). *Co-existing Problems of Mental Disorder and Substance Misuse (dual diagnosis): The Royal College of Psychiatrist’s Research Unit*. (S)
80. Mueser K, Noordsy D, Drake R, Fox F (2003). *Integrated Treatment for Dual Diagnosis-a guide to effective practice*. Guildford Press New York. (S)
81. Graham H, Copello A, Birchwood M, Mueser K (2002). *Substance Misuse in Psychosis- Approaches to Treatment and Service Delivery*. Wiley, London (S)
82. Ley A, Jeffrey, DP, McLaren S, Siegfried N (2003). *Psychosocial treatment programmes for people with both severe mental illness and substance misuse*. *Cochrane Review*. In *The Cochrane Library Issue 4, 2003*. Chichester, UK. John Wiley & Sons, Ltd. (A)

83. National Treatment Agency for Substance Misuse (2002). Models of care for the treatment of drug misusers- promoting quality, efficiency and effectiveness in drug misuse treatment services in England. Part 2: Department of Health London, pp 167-175. (S)
84. Hawton K (1998) Deliberate self-harm: Systematic review of efficacy of psychosocial and pharmacological treatments in presenting repletion. *Br Med J* 3, 441-7.
85. Quigley (1994). Changes in the pattern of deliberate self-poisoning presenting at Craigavon Area Hospital: 1976, 1986 and 1991. *Ulster Med J*; 63, 155-161.
86. Hicky et al. (2000). Deliberate self-harm patients who leave the Accident and Emergency Department without a psychiatric assessment. A neglected population at risk of suicide. *J Psycho Res* 50, 87-93. (S).
87. Royal College of Physicians (2003). The psychological care of medical patients. A practical guide. Report of a joint working party of the Royal College of Physicians and the Royal College of Psychiatrists, London RCP. (A).
88. Royal College of Physicians (2001). Alcohol – can the NHS afford it? Report of a working party. London RCP. (S)
89. Bhui (1996). Somatization disorder. *B J Hosp Med*; 171. 364-70. (S).
90. Kelly C, Cooper S (2003). Audit of Liaison Psychiatry Assessments at Belfast City Hospital, 2003 (personal communication). (R).
91. Paxton R, Shrubbs S, Griffiths H, et al (2000). Tiered approach: Matching mental health services to needs. *J Ment Hlth*. 9, 137-144.
92. The Canadian Psychiatric Association (1998). Canadian clinical practice guidelines for the treatment of schizophrenia. *Can J Psychiat*; 43 Suppl 2, 25S-40S1. (S)
93. Meltzer HY, McGurk SR (1999). The effects of clozapine, risperidone, and olanzapine on cognitive function in schizophrenia. *Schiz Bull*. 25, 233-55. (A)
94. Meltzer HY, Park S, Kessler R (1999). Cognition, schizophrenia, and the atypical antipsychotic drugs. *Proc Natl Acad Sci U S A*; 96, 13591-3. (S)
95. Moller H (2003). Management of the negative symptoms of schizophrenia - New treatment options. *CNS Drugs*. 17, 793-823. (A)
96. Stanniland C, Taylor D (2000). Tolerability of Atypical Antipsychotics. *Drug Safety*. 22,195-214. (S)
97. Keith SJ, Kane JM (2003). Partial compliance and patient consequences in schizophrenia: our patients can do better. *J Clin Psychiat*. 64, 1308-15. (S)
98. National Institute of Clinical Excellence (2002). Schizophrenia: Core interventions in the treatment and management of schizophrenia in primary and secondary care. NICE. (S)

99. Cookson J, Taylor D, Katona K (2002). Use of drugs in psychiatry. London: Gaskell; 109. (S)
100. Song F, Freemantle N, Sheldon T A, et al (1993). Selective serotonin reuptake inhibitors: meta-analysis of efficacy and acceptability. *BMJ*. 306, 683-7. (A)
101. Anderson I (2000). Selective serotonin reuptake inhibitors versus tricyclic antidepressants: a meta-analysis of efficacy and tolerability. *J Affect Disord*. 58, 19-36. (S)
102. Geddes JR, Freemantle N, Mason J, et al (2004). Selective serotonin reuptake inhibitors versus other antidepressants for depression (Cochrane Review). In: *The Cochrane Library*, Issue 1. (A)
103. Anderson IM, Nutt DJ and Deakin FW (2000). Evidence-based guidelines for treating depressive disorders with antidepressants. *J Psychopharmacol*. 14, 3-20. (A)
104. National Institute of Clinical Excellence (2003). Depression Full Guideline www.nice.org.uk. (S)
105. Loonen AJ, Peer PG, Zwanikken GJ (1991). Continuation and maintenance therapy with antidepressive agents. Meta-analysis of research. *Pharm Week Sci*. 13,167-75. (A)
106. Thase ME, Rush AJ (1999). When at first you don't succeed: sequential strategies for antidepressant non-responders. *J Clin Psychiat*. 58 Suppl 13, 23-9. (N)
107. Goodwin GM (2003). Consensus Group of the British Association for Psychopharmacology. Evidence-based guidelines for treating bipolar disorder: recommendations from the British Association for Psychopharmacology. *J Psychopharmacol*. 17, 149-73. (S)
108. National Institute of Clinical Excellence (2003). Technology Appraisal No. 66. Olanzapine and valproate semisodium in the treatment of acute mania associated with bipolar I disorder. NICE. (S)
109. National Institute of Clinical Excellence (2003). Technology Appraisal No. 59. Guidance on the use of electroconvulsive therapy NICE. (S)
110. Gaskell (1995). *The ECT Handbook*. Royal College of Psychiatrists London. (V).
111. Roth AD, Fonagy P (1996). *What works for whom? A critical review of psychotherapy research*. New York: Guildford Press. (S)
112. NHS Executive (1996). *NHS psychotherapy services in England. Review of strategic policy*. London: Department of Health. (S)
113. Department of Health (2001). *Treatment choice in psychological therapies and counselling. Evidence based clinical practice guideline*. London: Department of Health. (S)

114. Zubin J, Stuart RS, Condray R (1992). Vulnerability to relapse in schizophrenia. *Br J Psychiat*, 161, 13 – 18. (S)
115. Vaughan CE, Leff JP (1976). The influence of family and social factors on the course of psychiatric illness. *Br J Psychiat*, 129, 125 – 137. (S)
116. Pharoah, FM, Mari JJ, Steiner D (2003). Family Interventions for Schizophrenia (Cochrane Review). In: *The Cochrane Library*, Issue 3. (A)
117. National Institute of Clinical Excellence (2002). *Clinical Guidelines on Schizophrenia*. (S)
118. Br Psychol Soc (2000). Recent Advances in understanding mental illness and psychotic experiences. A Report by the British Psychological Society Division of Clinical Psychology. Leicester: British Psychological Society. (S)
119. Kuipers E, Garety PA, Fowler D et al. London-East Anglia randomised controlled trial of cognitive behaviour therapy for psychosis I:*Br J Psychiat*, 171, 319-327. (D)
120. Sensky T, Turkington D, Scott JL et al (2000). A randomised controlled trial of cognitive behaviour therapy for persistent symptoms in schizophrenia resistant to medication. *Arch Gen Psychiat*, 57, 165-172. (D)
121. Drury V, Birchwood M, & Cochrane R (2000). Cognitive therapy and recovery from acute psychosis: a controlled trial. *Br J Psychiat*, 177, 8-14. (D)
122. Cormac I., Campbell C, Silveira da Mota Neto J (2003). Cognitive behaviour therapy for schizophrenia. In: *The Cochrane Library*, Issue 3. (A)
123. Malmberg L, Fenton M (2003). Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness. (Cochrane Review) In: *The Cochrane Library*, Issue 3. Oxford: Update Software. (A)
124. Lees J, Manning N, Rawlings B (1999). CRD Report 17 – Therapeutic community effectiveness. York: NHS Centre for reviews and Dissemination. (R)
125. Kemp R, Hayward P, Applewaite G, et al (1996). Compliance Therapy in Psychosis: Randomised Controlled Trial. *Br Med J*, 312, 345-349. (D)
126. Potter WZ, Prien R F (1989). Report on the NIMH Workshop on the Treatment of Bipolar Disorder. Quoted by Criaghead WE, Miklowitz DJ, Vajk FC, Frank E. (1998). *Psychosocial Treatments of Bipolar Disorder*. In P Nathan & J M Gorman (Eds) *A Guide to Treatments that work*. New York, Oxford: Oxford University Press. (S)
127. Cochran SD (1984). Preventing medical non-compliance in the outpatient treatment of bipolar affective disorders. *J Consult Clin Psychol*, 52, 873-878. (N)
128. Fava GA, Bartolucci G, Rafanelli C, et al (2001). Cognitive-behavioral management of patients with bipolar disorder who relapsed while on lithium prophylaxis. *J Clin Psych*, 62, 556-559. (D)

129. Lam DH, Bright J, Jones S, Hayward P, et al (2000). Cognitive therapy for bipolar illness – a pilot study of relapse prevention. *Cog TherRes*, 24, 503-520. (D)
130. Huxley NA, Parikh SV, Baldessarini RJ (2000). Effectiveness of psychosocial treatments in bipolar disorder: state of the evidence. *Har Rev Psychiat*, 8, 126-140. (D)
131. Miklowitz DJ, Richards JA, George EL, et al (2003) Integrated family and individual therapy for bipolar disorder: results of a recent development study. *J Clin Psychiat*, 64, 182-191. (N)
132. Craighead W, Craighead L, Ilardi S (1998). Psychosocial treatments for major depressive disorder. In Nathan, P. & Gorman, J. (eds) *A guide to treatments that work*. New York: Oxford University Press. (A)
133. Fava GA, Fafanelli C, Grandi S, et al (1998). Prevention of recurrent depression with cognitive behavioural therapy: preliminary findings. *Arch Gen Psychiatr*, 55, 816-820. (D)
134. Amsterdam J, de Rubeis R (2002). Cognitive therapy vs medications for severe depression. In Fawcett, J. Symposium, Annual Meeting, Am Psychiat Assn, Philadelphia. (D)
135. Gloaguen V, Cottraux J, Cucherat M, Blackburn IM (1998). A meta-analysis of the effects of cognitive therapy in depressed patients. *J Aff Dis*, 49, 59-72. (A)
136. Leichsenring F (2001). Comparative effects of short-term psychodynamic psychotherapy and cognitive-behavioural therapy in depression. *Clin Psychol Rev*, 21, 401-419. (A)
137. Churchill R, Hunot V, Corney R et al (2001). A systematic review of controlled trials of the effectiveness and cost-effectiveness of brief psychological treatments for depression. *Health Technology Assessment* 5: 173. The National Coordinating Centre for Health Technology Assessment. (A)
138. Fadden G (2003). The Meriden Project. Presentation at Working with Families – Giving people their lives back Conference: Stratford-upon-Avon. (S)
139. Jones M (2002). Cognitive-behavioural therapy for psychosis: Implications for the way that psychosis is managed within community mental health teams. (S)
140. Fowler, D, Garety PA, Kuipers E (1998). Cognitive therapy for psychosis. *J Men Hlth*, 7, 123-134. (S)
141. Birchwood M, Fowler D, Jackson C (Eds) (2000). *Early Intervention in Psychosis..* Chichester: Wiley. (S)
142. Wood H, Carr S (1998). *Designing Local Mental Health Services*. The Sainsbury Centre for mental Health and Northern Birmingham Mental Health NHS Trust. (V)
143. Thornicroft G, Becker T, Holloway F, et al (1999). Community mental health teams: evidence or belief? *Br J Psych*, 175, 508-513. (S)

144. Galvin SW, McCarthy S (1994). Multi-disciplinary community teams: clinging to the wreckage. *J Men Hlth*, 3 167-174. (S)
145. Lancashire S, Haddock G, Tarrier N (1997). Effects of training in psychosocial interventions for community psychiatric nurses in England. *Psychiat Serv*, 48, 39-41. (S)
146. Barr W, Cotterill L (1999). Registering concern: the case of primary care registers for people with severe and enduring mental illness. *Health Soc Care J Com* 7, 427-433. (S)

CHAPTER 5 – REFERENCES

1. Rebeiro KL (1998). Occupation-as-means to Mental Health: A Review of the Literature and Call for Research. *Canadian Journal of Occupational Therapy*. 65(1), 12-19. (S)
2. Schimitras L, Fossey E, Harvey C (2003). Time Use of People Living with Schizophrenia in a North London Catchment Area. *British Journal of Occupational Therapy*. 66(2), 46-54. (R)
3. Cook S (1997). Results of Needs Assessment Survey 1996 and Proposals for Development. Sheffield Pitsmoor Practice. (R)
4. Mayers C (2000). Quality of life: Priorities for People with Enduring Mental Health Problems. *British Journal of Occupational Therapy*. 63(12).(R)
5. Kelly S (1999). A Study of Quality of Life for People with Severe and Enduring Mental Illness in a Health Board in N.I. PhD Thesis, UUJ. (S)
6. Labour Force Survey (LFS) March – May 2003. DETI – Personal Communication. (S)
7. Department of Health (1999). National Service Framework – Mental Health. Modern Standards and Service Models 4 and 5. (S)
8. NHS National Institute for Clinical Excellence – Schizophrenia – Core Interventions in the Treatment and Management of Schizophrenia in Primary and Secondary Care – Dec. 2002. (S)
9. Department of Health - Mental Health Policy Implementation Guide 2003. (S)
10. Secker J, Grove B, Seebohm P (2001). Challenging Barriers to Employment, Training and Education for Mental Health Service Users: The service users perspective. *Journal of Mental Health*. 10, 4 395 – 404. (R)
11. Pathways to Work; Helping People into Employment. The Government’s Response and Action Plan. Department of Work and Pensions, June 2003. (S).
12. Schneider J (1998). Models of Specialist Employment for People with Mental Health Problems. *Health and Social Care in the Community*. 6, (2) 120 – 129. (S)

13. Crowther R, Marshall M, Bond G, Huxley P Vocational Rehabilitation for People with Severe Mental Illness (Cochrane Review) In: the Cochrane Review Library, Issue 2, 2002 Oxford: Update Software. (A)
14. Bond G R, Drake R E, Mneser K T, Becker D R (1997). An Update on Supported Employment for People with Severe Mental Illness. *Psychiatric Services*. 48, 335–346. (S)
15. Isenwater W, Lanhan W, Thornhill H (2002). The College Link Program: Evaluation of a Supported Education Initiative in Great Britain. *Psychiatric Rehabilitation Journal*. Summer 26 (1), 43 – 50.(N)
16. Boardman et al (2003). Work & Employment for People with Psychiatric Disabilities. *British Journal of Psychiatry*. 182, 467-468. (Editorial). (S).
17. Westwood J (2003). The Impact of Audit Education for Mental Health Service Users *British Journal of Occupational Therapy*. (D)
18. Clark, S (2003). “You cannot be serious” – A Guide to Involving Volunteers with Mental Health Problems. The National Centre for Volunteering.(S)
19. Rinaldi M, Perkins R (2002). Vocational Services in Community Teams. Annual Report November 2001-November 2002. Southwest London and St. George’s Mental Health N.H.S. Trust (N).
20. Thomas T, Secker J, Grove B (2003). “Getting Back Before Christmas ...” Avon & Wiltshire Mental Health Partnership Trust, Job Retention Pilot Evaluation. (N)
21. Davies N, Lingham R, Prior C, Sims A (1995). Report of the Inquiry into the Circumstances Leading to the Death of Jonathan Newby. (R)
22. McGiloway S, Donnelly M (1996). Don’t Look Away”. Homelessness and Mental Health in Belfast. The Health and Health Care Research Unit Queens University of Belfast. (N)
23. Northern Ireland Housing Executive (2000). Housing and Health Towards a Shared Agenda, Para 5.2.3. (N)
24. Dixon Y, Friedman N, Lehman A (1993). Housing Patterns of Homeless Mentally ill Persons Receiving Assertive Treatment Services, *Scot Devel Cen Mental Health, Hosp Comm Psychiatry*, 44, 286-8. (N)
25. Labour Force Survey Trends August 2002: Labour Market Experience of People with Disabilities. (R)
26. Northern Ireland Statistics and Research Agency: Northern Ireland Summary of Social Security Statistics 2003 p73. (R)

27. For example the introduction of Jobcentre Plus, compulsory work centred interviews for new and recent incapacity benefit claimants, the New Deal for Disabled People initiative and tax credit and benefit reforms aimed at easing transition back to work. (S)
28. Advice Services Alliance: Access to Benefits (2002). (R)
29. House of Commons Work and Pensions Select Committee Employment for All: Interim Report, Fourth Section 2002/2003 para 32. (R)
30. Health Education Authority (1998). Community Action for Health. London HEA. (S)
31. Stakeholders Consultation (2003). EHSSB Mental Health Strategy.(R)
32. Department of Health (2003). Inside Outside – Improving Mental health services for Black and Minority Ethnic Communities . NIHE (S)
33. Department of Health (1995). Building Bridges: A Guide to Arrangements for Inter-agency Working for the Care and Protection of Severely Mentally Ill People. (S)
34. Mental Health Service Charter (1998). Charter for Patients and Clients and Mental Health Services. DHSS Executive NI. (S)
35. Dalton S, Carlin P (2002). Independent Advocacy. Ment Hlth Law 49, 21-34. (S)
36. Department of Health (1999). Caring About Carers. A National Strategy for Carers. (D)
37. Fadden G, Bebbington P & Kuipers L (1987). Caring and its burdens: A study of the spouses of depressed patients. Br. J. Psychiatry, 151 660-667 (D)
38. Department of Health (1999). A National Service Framework for Mental Health. (D)
39. Department of Health, Social Services & Public Safety (2002). Valuing Carers. A strategy for carers in Northern Ireland. (D)
40. Carers and Direct Payments Act (Northern Ireland) 2002.
41. Sainsbury Centre for Mental Health (1998). Acute Problems. A survey of the quality of care in acute psychiatric wards. (D)
42. Cuijpers P (1999). The effects of family interventions on relatives' burden: a meta-analysis. Journal of Mental Health, 8, 275-285. (S)
43. Department of Health (2000). Thematic Review of NHS R&D funded Mental Health Research in relation to National Service Framework for Mental Health. (S)
44. Nicholson J, Biebel K, Hinden B, Alexis H, Lawrence S (2001). Critical Issues for Parents with Mental Illness and their Families. Centre for Mental Health Services Research, Dept Psychiatry, University of Massachusetts Medical School. (D)

45. Department of Health (1995). Child Protection; messages from research. (D)
46. Mc Donnell (2001). Area Child Protection Committee Research Report. (D)
47. Rutter (1986). Parental mental disorder as a psychiatric risk factor, *Psych Epid*, 6, 647-663. (D)
48. Royal College of Psychiatrists (2002). Parental mental illness – the problems for children. Fact Sheet 17. (S)
49. Devlin, O'Brien (1999). Children of parents with mental illness; an overview from a nursing perspective. *Aust, NZ Journal Mental Health Nursing*, 8, p19. (S)
50. Cowling (ed) (1999). Children of parents with a mental illness. Australian Institute of Family Studies. (D)
51. Fadden G, Bebbington P & Kuipers L (1987). Caring and its Burdens: A Study of the Spouses of Depressed Patients. *Br J Psychiat*. 151, 660-667. (R)

CHAPTER 6 – REFERENCES

1. Department of Health (1999). A National Service Framework for Mental Health. Stationery Office, London. page 30. (S)
2. Royal College of Psychiatrists (1992). Eating Disorders. Council Report CR14. Royal College of Psychiatrists, London. (S)
3. Royal College of Psychiatrists (2000). Eating Disorders in the UK: Policies for Service Development and Training. Royal College of Psychiatrists, London. (S)
4. National Institute for Clinical Excellence (2003). Eating Disorders: Core Interventions in the Treatment and Management of Anorexia Nervosa, Bulimia Nervosa, and Related Eating Disorders. Second Draft for Consultation, September 2003. www.nice.org.uk (S)
5. Department of Health, Social Services & Public Safety (2002). Eating Disorder Services: A Consultation Paper. (S)
6. Department of Health, Social Services & Public Safety (2003). Eating Disorder Services. (S)
7. Department of Health, Social Services & Public Safety (2003). Priorities for Action 2003/2004. (S)
8. Fairburn CG, Harrison PJ (2003). Eating Disorders. *Lancet*. 361, 407-16. (S)
9. Pomeroy C, Mitchell JE (2002). Medical Complications of Anorexia Nervosa and Bulimia Nervosa. In: Fairburn CG, Brownell KD, eds. *Eating Disorders and Obesity: A Comprehensive Handbook*, Guilford Press, New York. 278-85. (S)

10. Nielsen S (2001). Epidemiology and Mortality of Eating Disorders. *Psychiatr Clin North Am* 24. 201-14. (S)
11. Nielsen S, Moller-Madsen S, Isager T, et al (1998). Standardised Mortality in Eating Disorders: a Quantitative Summary of Previously Published and New Evidence. *J Psychosom Res* 44. 413-34. (A)
12. Bulik CM (2002). Anxiety, Depression and Eating Disorders. In: Fairburn CG, Brownell KD, eds. *Eating Disorders and Obesity: a Comprehensive Handbook*, Guilford Press, New York. 193-8. (S)
13. Wilson GT (2002). Eating Disorders and Addictive Disorders. In: Fairburn CG, Brownell KD, eds. *Eating Disorders and Obesity: A Comprehensive Handbook*, Guilford Press, New York. 199-203. (S)
14. Wonderlich S (2002). Personality and Eating Disorders. In: Fairburn CG Brownell KD, eds. *Eating Disorders and Obesity: A Comprehensive Handbook*, 2nd edn. Guilford Press, New York. 204-9. (S)
15. Agras WS (2001). The Consequences and Costs of Eating Disorders. *Psychiatr Clin North Am.* 24, 371-9. (S)
16. Palmer RL (2000). *Helping People with Eating disorders*. Wiley, Chichester.(R)
17. Turnbull S, Ward A, Treasure J, et al (1996). The Demand for Eating Disorder Care: An Epidemiological Study Using the General Practice Research Database. *Br J Psychiatry.* 169, 705-12. (R)
18. Van Hoeken D, Lucas AR (1998). Epidemiology. In Hoek HW, Treasure JL, Katzman MA, eds. *Neurobiology in the Treatment of Eating Disorders*. Wiley, Chichester. 97-126. (S)
19. Fombonne E (1995). Anorexia Nervosa: No Evidence for an Increase. *Br J Psychiatry.* 166, 462-71. (S)
20. Lowry CL (2001). A Small Study to Assess the Use of the SCOFF Questionnaire as a Screening Tool for Eating Disorders in a Primary Care Setting. (Unpublished).
21. BMJ (2003). *Clinical Evidence: Mental Health*, BMJ, London. (S)
22. American Psychiatric Association (2000). *Practice Guideline for Treatment of Patients with Eating Disorders*, APA, Washington. (S)
23. Beumont PB, Hay P, Beumont R (2003). Summary Australian and New Zealand Clinical Practice Guideline for the Management of Anorexia Nervosa. *Australasian Psychiatry.* 11, 129-33. (S)
24. Russell GFM, Szukler GI, Dare C, et al (1987). An Evaluation of Family Therapy in Anorexia Nervosa and Bulimia Nervosa. *Arch Gen Psychiatry.* 44, 1047-56. (N)

25. Kaye WH, Nagata T, Weltzin TE (2001). Double-blind Placebo-Controlled Administration of Fluoxetine in Restricting- and Restricting-purging-type Anorexia Nervosa. *Biol Psychiatry*. 49, 644-52. (D)
26. Fairburn CG, Marcus MD, Wilson GT (1993). Cognitive-behavioural Therapy for Binge Eating and Bulimia Nervosa: A Comprehensive Treatment Manual. In: Fairburn CG, Wilson GT, eds. *Binge Eating: Nature, Assessment and Treatment*. Guilford Press, New York. (S)
27. Wilson GT, Fairburn CG, Agras WS (1997). Cognitive-behavioural Therapy for Bulimia Nervosa. In: Garner DM, Garfinkel PE, eds. *Handbook of Treatment for Eating Disorders*, Guilford Press, New York. 67-93. (S)
28. Wilson GT, Fairburn CG (2002). Treatments for eating disorders. In: Nathan, PE, Gorman JM, eds. *A Guide to Treatments that Work*, 2nd edn. Oxford University Press, New York. Pages 559-92. (A)
29. Cooper PJ (1995). *Bulimia Nervosa and Binge Eating: a Guide to Recovery*. Robinson, London. (S)
30. Fairburn CG, Carter JC (1997). Self-help and Guided Self-help for Binge Eating Problems. In: Garner DM, Garfinkel PE, eds. *Handbook of Treatment for Eating Disorders*, 2nd edn. Guilford Press, New York. pages 494-99. (D)
31. Fairburn CG, Jones R, Peveler RC, et al (1993). Psychotherapy and Bulimia Nervosa: Longer-term Effects of Interpersonal Therapy, Behaviour Therapy and Cognitive-behaviour Therapy. *Arch Gen Psychiatry*. 50, 419-28. (D)
32. Agras WS, Walsh BT, Fairburn CG, et al (2000). A Multicenter Comparison of Cognitive-behavioural Therapy and Interpersonal Therapy for Bulimia Nervosa. *Arch Gen Psychiatry*. 57, 459-66. (D)
33. Walsh BT, Wilson GT, Loeb KL, et al (1997). Medication and Psychotherapy in the Treatment of Bulimia Nervosa. *Am J Psychiatry*. 154, 523-31. (A)
34. Fairburn CG, Cooper Z, Shafran R (2003). Cognitive Behaviour Therapy for Eating Disorders: a "Transdiagnostic" Theory and Treatment. *Behav Res Ther*. 41, 509-28. (S)
35. British Society for Rehabilitation Medicine (1998). *Rehabilitation after Traumatic Brain Injury: A Working Party Report of the British Society for Rehabilitation Medicine*. BSRM: London. (S)
36. Brooks D N, McKinley W W Symington, C et al (1987) Return to Work Within the First Seven Years of Severe Head Injury. *Brain Injury*. 1, 5-19. (R)
37. Brooks D N, Campsie L, Symington C et al (1987). The Effects of Severe Head Injury on Patient and Relative within Seven Years of Injury. *Head Trauma Rehab*. 2, 1-3. (R)

38. Oddy M, Coughlan T, Tyerman A, Jenkins D (1985). Social Adjustment After Closed Head Injury: A Further Follow Up Seven Years After Injury. *Neurol, Neurosurg Psychiat.* 48, 564-568. (R)
39. Thomson I V (1987). Late Psychosocial Outcome in Severe Blunt Head Trauma: A Review. *Brain Injury.* 1. 1131-1143. (R)
40. Olver J H, Ponsford J L, Curran C A (1996). Outcome Following Traumatic Brain Injury: A Comparison Between Two and Five Years After Injury. *Brain Injury.* 10, 687-695. (R)
41. McClelland R J, Morrow D P, Byrnes D, Lewis H, et al (1994). Report of a Study Group: Service Needs for Longer Term Rehabilitation and Care for Brain Injured Adults within Eastern Health & Social Services Board in Northern Ireland. Unpublished. (S)
42. Morton M V, Wehman (1995). Psychosocial and Emotional Sequelae of Individuals with Traumatic Brain Injury: A Literature Review and Recommendations. *Brain Injury.* 9, 81-92. (S)
43. Eames P G (2001). Distinguishing the Neuropsychiatric, Psychiatric and Psychological Consequences of Acquired Brain Injury in Wood, R. L. & McMillan, T. M. *Neurobehavioural Disability and Social Handicap Following Traumatic Brain Injury.* (S)
44. Koponen S, Taiminen T; Portin R et al (2002). Axis I and II Psychiatric Disorders After Traumatic Brain Injury: A 30 Year Follow Up Study. *Am J Psychiat.* 159, 1315-1321. (R)
45. Shoumitro D, Lyons I, Koutzoukis C (1999). Rate of Psychiatric Illness One Year After Traumatic Brain Injury. *Am J Psychiat.* 156, 374-378. (R)
46. Teasdale T W, Engberg A W (2001). Suicide After TBI: A Population Study. *J Neurol, Neurosurg Psychiat.* 71, 436-440. (R)
47. Van Reekum R, Bolago I, Finlayson M A J, Garner, S, Links P S (1996). Psychiatric Disorders After Traumatic Brain Injury. *Brain Injury.* 10, 319-328. (R)
48. Simpson G, Tate R (2002). Suicidality after Traumatic Brain Injury: Demographic, Injury and Clinical Correlates. *Psychol Med.* 32, 687-698. (S)
49. Allen K, Linn R, Gutierrez H, Willer B, (1994). Family Burden Following Traumatic Brain Injury. *Rehab Psychol.* 39, 29-48. (R)
50. Brooks N, Campsie L, Symington C et al (1986). The Five Year Outcome of Severe Blunt Head Injury: A Relatives View. *J of Neurol, Neurosurg Psychiat.* 49, 764-770. (R)
51. Knight R G, Devereux, R. T, Godfrey, H P D (1998). Caring for a Family Member with a Traumatic Brain Injury. *Brain Injury.* 12. 467-481. (R)
52. Marsh N V, Kersel D A, Havill J H, Sleight, J W (1998). Caregiver Burden at One Year Following Severe Traumatic Brain Injury. *Brain Injury.* 12, 81-92. (R)

53. Ponsford J, Olver J, Ponsford M, Nelms R (2003). Long Term Adjustment of Families Following Traumatic Brain Injury where Comprehensive Rehabilitation has been Provided. *Brain Injury*. 17, 453-468. (S)
54. Williams, W H, Evans J J (2003). Brain Injury and Emotion; An Overview to a Special Issue on Biopsychosocial Approaches in Neurorehabilitation. *Neuro Rehab*. 13, 1-11. (S)
55. Fleminger S, Greenwood R J, Oliver D L (2003). Pharmacological Management for Agitation and Aggression in People with Acquired Brain Injury. (Cochrane Review) in: *The Cochrane Library*. Issue 2. Oxford: Update Software. (A)
56. Khan-Bourne N, Brown R G (2003). Cognitive Therapy for the Treatment of Depression in Individuals with Brain Injury in Williams, W H, Evans J J. *Biopsychosocial Approaches in Neurorehabilitation: Assessment and Management of Neuropsychiatric Mood and Behaviour Disorders*. *Neuro Rehab: Special Issue*. 13, 89-107. (S)
57. McMillan T M, Williams W H, Bryant R (2003). Post Traumatic Stress Disorder and Traumatic Brain Injury: A Review of Causal Mechanisms, Assessment and Treatment in Williams W H, Evans J J, *Biopsychosocial Approaches in Neurorehabilitation: Assessment and Management of Neuropsychiatric Mood and Behaviour Disorders*. *Neuro Rehab: Special Issue*. 13, 149-164. (S)
58. Williams W H, Evans J J, Fleminger S (2003). Neurorehabilitation and Cognitive Behaviour Therapy of Anxiety Disorders after Brain Injury: An Overview and a Case Illustration of Obsessive Compulsive Disorder *Neuro Rehab: Special Issue*. 13, 133-148. (N)
59. House of Commons, Health Committee (2001). *Third Report: Head Injury: Rehabilitation*. London, The Stationary Office Limited. UK.(S)
60. NHS. Health Advisory Service (1996). *Mental Health Services. Heading for Better Care. Commissions and Providing Mental Health Services for People with Huntington's Disease, Acquired Brain Injury and Early Onset Dementia*. London, HMSO. (S)
61. Powell J, Heslin J, Greenwood R (2002). Community Based Rehabilitation After Severe Traumatic Brain Injury: A Randomised Control Trial. *J Neurol, Neurosurg Psychiatr*. 72, 193-202. (A)
62. Davis A (1995) *Hearing with Adults*. Whurr Publishers Ltd (R)
63. du Feu M, Ferguson K (2003). *Advances in Psychiatric treatment*. 9, 95-103. (S)
64. du Feu M, McKenna P (1999). Prelingually profoundly deaf schizophrenic patients who hear voices: a phenomenological analysis. *Acta Psychiatrica Scandinavica*. 97, 1-9 (R)
65. Denmark JC (1985). A study of 250 patients referred to a department of psychiatry for the deaf. *B J of Psychiat*. 146, 282-286 (S)

66. Hindley P (2000). Child and Adolescent Psychiatry. In Mental Health and Deafness (eds P Hindley & N Kitson), chapter. London: Whurr Publishers. Hill P.D. (R)
67. McGuigan S, Kitson N (1994). Psychiatric disorder in deaf and hearing impaired children and young people: A prevalence study. *Journal of Psychiat and Psychol.* 35, 917-934 (R)
68. Denmark JC (1994). Deafness and Mental Health. London: Jessica Kingsley publishers (R)
69. Department of Health (2000). A Sign of the Times. DoH, London. (S)
70. Health Advisory Service (1998). Sematic Review-Forging New Channels. British Society for Mental Health and Deafness. (S)
71. EHSSB (1994). Service Requirements for NI People with Hearing Impairment. Report of EHSSB Working Party. (S)
72. du Feu M, Symington BN (2003). Framework for the development of adult services in N Ireland. Report for Regional Steering group on mental health and deafness (S)
73. McClelland RJ, Denmark JC, Symington BN (1990). Survey on mentally ill people with hearing impairment in Northern Ireland. (R)
74. Kessler RC, Sonnega A, Bromet E, Nelson CB (1995). Post Traumatic Stress Disorder in the National Comorbidity Survey. *Arch Gen Psychiat.* 52,1048–60 (N)
75. Robins H, McEvoy L (1987). Post-Traumatic Stress Disorder in the General Population. Findings of the Epidemiologic Catchment Area Survey; *New Engl J Med.* 317, 1630-1634. (N)
76. Davidson H, Blazer G (1991). Post Traumatic Stress in the Community: An Epidemiological Study; *Psycho Med.* 21, 1-19. (N)
77. Breslau D, Andreski P (1991). Traumatic Events and Post Traumatic Stress in the Urban Population of Young Adults; *Arch of Gen Psychiat.* 48, 216-222. (N)
78. Resnick, Kilpatrick, Dansky, et al (1993). Prevalence of Civilian Trauma and Post Traumatic Stress Disorder in a Representative National Sample of Women; *J Consult Clin Psychol.* 61, 984-991. (D)
79. Green (1994). Psychosocial Research in Traumatic Stress; An Update; *J Trauma Stress.* 7, 341-362. (A)
80. Figley (1995). Systemic Traumatology: Family Therapy with Trauma Survivors; Rockville, MD.Presentation to the Maryland Psychological Association;
81. Norris (1992). Epidemiology of Trauma; Frequency and Impact of Different Potentially Traumatic Events on Different Demographic Groups; *J. Consult and Clin Psychol.* 60, 409-418. (D)

82. Breslau D, Andreski P (1991). op. cit. (N)
83. Brewin CR, Andrews B, Valentine JD (2000). Meta-analysis of Risk Factors for Post Traumatic Stress Disorder in Trauma-exposed Adults. *J Consult Clin Psychol.* 68, 748–66. (A)
84. O'Reilly D, Stevenson D (2003). Mental Health in Northern Ireland: Have "The Troubles" Made it Worse? *J Epid Comm Health.* 57, 488-492. (N)
85. Fay M, Smyth M (1999). The Cost of the Troubles Survey; Report on the Northern Ireland survey; the experience and impact of the Troubles; Derry/Londonderry INCORE. (N-S)
86. Cairns E, Mallet L, Wilson D (2003). Who are the Victims? Self-assessed victimhood and the Northern Irish Conflict; NIO Research & Statistical Series; Report No. 7; (N)
87. McConnell P, Bebbington P, McClelland R, Gillespie K (2002). Prevalence of Psychiatric Disorder and the Need for Psychiatric Care in Northern Ireland; *Brit. J Psychiat.* 181, 114-128. (N)
88. Luce, Firth-Cozens (2000). The Well-being of Staff Following the Omagh Bomb: First Follow Up; The University of Northumbria. (N)
89. CREST Guidance (2003). The Management of Post Traumatic Stress Disorder in Adults; (DHSSPS (NI)) (<http://www.crestni.org.uk/agenda.html>) (S)
90. Foa M, Keane, Friedman (2000). Effective Treatment for PTSD. Guildford Press. New York 1. (A)
91. Dept. of Health London (2001). Treatment Choice in Psychological Therapies and Counselling (A)
92. World Health Organisation (1992). The International Classification of mental and behavioural disorders (ICD 10). (S)
93. American Psychiatric Association (1994). Diagnostic and Statistical Manual of Mental Disorders (DSMIV) Washington, DC: APA. (S)
94. Alexander R, Cooray S (2003). Diagnosis of Personality Disorders in Learning Disability *B J Psychiat suppl.* 182, 44, 28-31. (S)
95. Moran P (1999). Antisocial Personality Disorder : An Epidemiological Perspective. London, Gaskell. (R)
96. Rendu A et al (2002). Economic Impact of Personality Disorders in UK Primary Care Attenders. *Br J Psychiat.* 181, 62-66. (R)
97. Menzies et al (1993). Are Short-term Savings Worth Long-term Costs? Funding Treatment for Personality Disorders. *Psychiat Bull* 17, 517-519. (S)

98. Becker F et al (2000). Co morbidity of Borderline Personality Disorders with Other Personality Disorders in Hospitalised Adolescents and Adults. *Am J Psychiat.*, 157, 2011-2016. (S)
99. Paris et al (1987). Long Term Follow-up of Borderline Patients in a General Hospital. *Comp Psychiat.* 28, 530-535. (R)
100. Stone M H et al (1990). The PI-500:Long-term Follow-up of Borderline Patients Meeting DSM III criteria part 1. Global Outcome. *J Personal Dis.* 1, 291-298. (R)
101. Tyrer P et al (1994). The Effect of Personality Disorder on Clinical Outcome, Social Networks and Adjustment :A Controlled Trial of Psychiatric Emergencies. *Psychol Med.* 24, 731-740. (S)
102. Isometsa E T (1996). Suicide Among Subjects with Personality Disorders. *Am J Psychiat.* 1996, 153, 667-673. (R)
103. Adshad G (2001). Murmurs of Discontent : Treatment and Treatability of Personality Disorder *Adv Psychit Treat.* 17, 407-416. (S)
104. Modestin J, Oberson B, Erin T (1998). Possible Antecedents of DSM-III-R Personality Disorders *Act Psychiat Scand.* 97, 260-266. (S)
105. Casey P (2000). The Epidemiology of Personality Disorders. In *Personality Disorders Diagnosis, Management and Course* ed P Tyrer, 71-79 London: Arnold. (R)
106. Cutting J et al (1986). Personality and Psychosis – Use of Standardised Assessment of Personality. *Act Psychiat Scand.* 73 87-92. (S)
107. Massion AO et al (2002). Personality Disorders and Time to Remission in Generalized Anxiety Disorder, Social Phobia and Panic Disorder.*Arch of Gen Psychiat* May. 59, 434-440. (R)
108. Tyrer P, Seivewright H (2000). Studies of Outcome . In *Personality Disorders : Diagnosis, Management and Course*, (2nd Edn),105-125: Oxford: Butterworth-Heinemann. (R)
109. Tyrer P et al (1999). Community Mental Health Team Management for those with severe mental illness and disordered personality. In *Schizophrenia Module of the Cochrane Database of Systematic Reviews* (eds C.E.Adams et al Oxford, UK: Cochrane Collaboration, Update Software. (A)
110. Tyrer P, Simmonds S (2003). Treatment Models of Those with Severe Mental Illness Co morbid Personality Disorder. *Br J Psychiat.* 182, 515-518. (S)
111. Doaherty M et at (2003). Diagnosis in Patients Attending Services in North Belfast (in press). (S)
112. National Institute for Mental Health (2003). Personality Disorder: No Longer a Diagnosis of Exclusion. (S)

113. Pauly I B. Male Psychosexual Inversion: Transsexualism: A Review of One Hundred Cases: *Arch Gen Psychiat.* 13, 172-181. (S)
114. Green R, Fleming DT, Transsexual Surgery Follow-Up: Status in 1990s. *Annual Review of Sex Research*, Bancroft J (ed). 1, 163-174. (S)
- ¹¹⁵. Rehman J, Lazer S, Benet AE et al (1999). The Reported Sex and Surgery Satisfaction of 28 Post-operative Male to Female Transsexual Patients. *Arch Sex Beh.* 28, 71-89. (R)
116. Laumann EO et al (1999). Sexual Dysfunction in the United States; Prevalence and Predictors. *JAMA.* 281, 537-544. (R)
117. Hawthorn K (1985). *Sex Therapy: A Practical Guide.* Oxford University Press, Oxford. (S)
118. Sanders D (1987). *The Woman Report on Men.* Sphere Books, London. (S)
119. Kinsey AC et al (1948). *Sexual Behaviour in the Human Male*, W.B. Saunders, Philadelphia and London. (S)
120. Cole and Dryden (1989). *Sex Problems: Your Questions Answered*, MacDonald & Co., London. (S)
121. Cawthra R (2000). Comments on Recent Developments in Borderline Personality Disorder. *Adv Psychiat Treat.* 6, 217 – 218. (S)
122. Fonagy P, Roth P (1996). *What Works for Whom?* London: Sage. (S)
123. Lees T, Manning N, Rawlings B (1999). *Therapeutic Community Effectiveness.* NHS Centre Reviews and Dissemination, Report 17. York: University of York. (N)
124. Zamarin F et al (1998). SSRI's Can Reduce Mood Shifts in Borderline Personality Disorders. *Am J Psychiat.* 155, 1733-1739. (N)
125. Rinne T et al (2002). SSRI Treatment of Borderline Personality Disorder: A Randomized, Placebo-Controlled Clinical Trial for Female Patients with Borderline Personality Disorder. *Am J Psychiat.* 159, 2048-2054. (D)
126. Davidson S (2004). *Therapeutic Strategies for Personality Disorder.* *Adv Psychiat Treat.* (in press). (S)
127. Stein G (1992). Drug Treatments for Personality Disorders. *BR J Psychiat.* 161, 167-194. (N)
128. Perry J C et al (1999). Effectiveness of Psychotherapy for Personality Disorders. *Am J Psychiat.* 156, 1312-1321. (N)
129. Bateman A, Fonagy P (1999). Effectiveness of Partial Hospitalisation in the Treatment of Borderline Personality Disorder: A Randomised Controlled Trial. *Am J Psychiat.* 156, 1563-1568. (D)

130. Bateman A, Fonagy P (2001). Treatment of Borderline Personality Disorder with Psychoanalytically Oriented Partial Hospitalisation; Follow-up at 18 months. *Am J Psych.* 158, 36-42. (N)
131. Linehan et al (1991). Cognitive Behavioural Treatment of Chronically Parasuicidal Borderline Patients: A naturalistic follow-up. *Arch Gen Psychiat.* 48, 328-333. (N)
132. Verheul R et al (2003). Dialectical Behavioural Therapy for Women with Borderline Personality Disorder *B J Psych.* 182, 135-140. (N)
133. Piper et al (1993). A Randomised Trial of Psychiatric Day Treatment for Patients with Affective and Personality Disorders. *Hospital and Community Psychiatry.* 44, Part 8, 757-763. (D)
134. Chisea et al (2002). Health Service Costs by Personality Disorder Following Specialist and Non-specialist Treatment: A Comparative Study. *J Personal Dis.* 16, 160-173. (N)
135. Bateman A, Fonagy P (2003). Health Service Utilisation Costs for Borderline Personality Disorder Patients Treated with Psychoanalytically Oriented Partial Hospitalisation versus General Psychiatric Care. *Am J Psych.* 160, 169-171. (N)
136. Dolan B et al (1996). Cost Offset Following Specialist Treatment of Severe Personality Disorders. *Psychiat Bull.* 20, 413-417. (N)
137. Davies, (2003). Therapeutic Community Provision treatment of Personality Disorder: Service Use and Mortality Over 3 years follow-up. *B J Psychiat.* 182 (suppl 44), 24-27. (N)
138. American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental Disorders (DSM IV)* Washington, DC: APA. (S)
139. National Autistic Society (1997). *Communication*, Spring Edition. (R)
140. Medical Research Council (2001). *Review of autism research: epidemiology and causes.* London: Medical Research Council. (R)
141. Ehlers S, and Gillberg C (1993). The epidemiology of Asperger Syndrome. A total population study. *J Ch Psych Psychiat,* 34 1327-1350. (R)
142. Kadesjo B, Gillberg C, Hagberg B (1999). Brief Report: Autism and Asperger Syndrome in seven year old children: a total population study. *J Aut Devel Dis* 29, 327-331. (R)
143. Baird G (2000). A screening instrument for autism at 18 months of age: a 6 year follow-up study. *J Am Acad Ch Adol Psych,* 39, 694-702. (S)
144. Volkmar F, Szatmari P, Sparrow S S (1993). Sex differences in pervasive developmental disorders. *J Aut Devel Dis,* 23, 579-591. (R)

145. Fombonne E (2003). Epidemiological surveys of autism and other pervasive developmental disorders: An up-date. *J Aut Devel Dis*, 33, 365-382. (R)
146. Gillberg (2002). Presentation at International Conference on Autism. National Autistic Society, London. (S)
147. Barnard J, Harvey V, Prior A, Potter D (2001). Ignored or ineligible? The reality for adults with autistic spectrum disorders. London: National Autistic Society. (R)
148. Priorities for Action 2003/2004. DHSSPS Northern Ireland, February 2003. (S)
149. Howlin P (1997). *Autism – preparing for adulthood*. London Routledge. (S)
150. Howlin P (2000). Outcome in Adult Life for More Able Individuals with Autism or Asperger Syndrome. *Autism* 4: 63-83. (S)
151. Wing L (1981). *Asperger Syndrome: a clinical account*. London: National Autistic Society. (S)
152. Attwood T (1998). *Asperger's Syndrome*. London: Jessica Kingsley Publishers. (S)
153. Ghaziuddin M, Weidmer-Mikhail E, Ghaziuddin N (1998). Co morbidity of Asperger Syndrom: A Preliminary Report, *J Intel Dis Responsibility* 42, 279-283. (R)
154. Wolffe S, McGuire R J (1995). Schizoid Personality in Girls: A Follow-up Study – What are the links with Asperger's Syndrome? *J Ch Psych, Psychiat All Prof* 36, 793-817. (R)
157. Portway S (2000). The needs of children and adults with Asperger Syndrome living in Berkshire, Report of the Berkshire Asperger Research Projects. Reading: Berkshire Autistic Society. (R)
158. Personal Communication (2004) Down Lisburn Health & Social Services Trust: Pilot Project for adults with HFA/AS. (R)
159. Taking Responsibility. Good Practice Guidelines for services – adults with Asperger Syndrome. The National Autistic Society, 2002. (S)
160. Tantam D (2000). Psychological disorder in adolescents and adults with Asperger Syndrome. *Autism*, 4 (1), 47-62. (S)
161. Tantam D (1991). *Asperger Syndrome in Adulthood*, in U. Frith (ed), *Autism and Asperger Syndrome*. Cambridge: Cambridge University Press. (S)
162. Ashton M (2001). *The other half of Asperger Syndrome*. London: National Autistic Society. (S)
163. DHSSPS & PAPA (2004). *Wake up to Asperger Syndrome: An Issue for Mental Health Services*. DHSSPS publication. (S)

164. Hare D J (1997). The use of cognitive behavioural therapy with people with Asperger Syndrome. *Autism*, 1, 215-225. (S)
165. Hare D J, Flood A (2001). Approaching work with people with a diagnosis of Asperger's Syndrome: some notes for the perplexed. *Clin Psychol Forum*, 147, 11-17. (S)
166. Hulbert RT, Happe F, Frith U (1994). Sampling the Form of Inner Experience in Tree Adults with Asperger Syndrome. *Psychol Med* 24: 385-395. (S)
167. Mesibov G B, Shea V, Adams L W (2001). *Understanding Asperger Syndrome and High Functioning Autism*. Plenum Publishers, London. (S)
168. Shah A (1999). Asperger Syndrome – behavioural issues, a psychological approach. Paper from proceedings of conference – Asperger Syndrome: diagnostic and management issues, looking beyond childhood. Brighton: Pavilion. (S)
- ¹69. Murjan S, Shepherd M, Ferguson BF (2002). What Services are Available for the Treatment of Transsexuals in Great Britain? *Psychiatric Bulletin*. 26, 210-212. (R)
170. Tsoi WF (1998). The Prevalence of Transsexualism in Singapore. *Acta Psychiatrica Scandanavia*, 78:4, pp501-504. (R)
171. Van Kesteran PJ et al (1996). An Epidemiological and Demographic Study of Transsexuals in the Netherlands. *Archives of Sexual Behaviour* 25 (6): 589-600. (R)
172. Pauly IB. Male Psychosexual Inversion: Transsexualism: A Review of One Hundred Cases: *Archives of General Psychiatry* 13: 172-181. (R)
173. Green R, Fleming DT. Transsexual Surgery Follow-Up: Status in 1990s. *Annual Review of Sex Research*, Bancroft J (ed), Vol1, 163-174. (R)
174. Rehman J, Lazer S, Benet AE et al (1999). The Reported Sex and Surgery Satisfactions of 28 Post-operative Male to Female Transsexual Patients. *Archives of Sexual Behaviour* 28 (1): 71-89. (R)
175. Laumann EO, et al (1999). Sexual Dysfunction in the United States; Prevalence and Predictors. *JAMA* 281: 537-544. (R)
176. Hawthorn K (1985). *Sex Therapy: A Practical Guide*. Oxford University Press, Oxford. (S)
177. Sanders D (1987). *The Woman Report on Men*. Sphere Books, London. (S)
178. Kinsey Ac, et al (1948). *Sexual Behaviour in the Human Male*, W.B. Saunders, Philadelphia and London. (S)
179. Cole and Dryden (1989). *Sex Problems: Yours Questions Answered*, Macdonald & Co., London. (S)