

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

Chapter / Block	Title	Finished Episodes	Admissions	Male	Emergency	Waiting List	Mean Episode Duration	Median Episode Duration	Age 0-14	Age 15-59	Age 60-74	Age 75+	Daycases	% Daycases	Bed Days
<b>I</b>	<b>Certain infectious and parasitic diseases (A00-B99)</b>	<b>6,999</b>	<b>86 %</b>	<b>50 %</b>	<b>87 %</b>	<b>7 %</b>	<b>3.6</b>	<b>1</b>	<b>52 %</b>	<b>24 %</b>	<b>12 %</b>	<b>13 %</b>	<b>372</b>	<b>58 %</b>	<b>24,158</b>
A00-A09	Intestinal infectious diseases	2,221	90 %	46 %	90 %	6 %	3.4	1	61 %	17 %	9 %	13 %	131	79 %	7,098
A15-A19	Tuberculosis	62	60 %	56 %	58 %	27 %	16.3	9.5	2 %	53 %	16 %	29 %	10	59 %	845
A20-A49	Certain bacterial diseases	1,297	62 %	45 %	83 %	4 %	6.5	3	13 %	22 %	33 %	33 %	10	10 %	8,301
A50-A64	Infections with a predominantly sexual mode of transmission	79	95 %	38 %	25 %	72 %	2.7	1	4 %	82 %	10 %	4 %	35	59 %	120
A65-A79	Other infectious and parasitic disorders	*	100 %	100 %	100 %	0 %	5.2	5	0 %	80 %	20 %	0 %	0	0 %	26
A80-A89	Viral infections of the central nervous system	128	79 %	47 %	92 %	1 %	6.8	4	23 %	67 %	8 %	2 %	*	100 %	848
A90-A99	Arthropod-borne viral fevers and viral haemorrhagic fevers	*	100 %	100 %	100 %	0 %	3.0	3	0 %	50 %	50 %	0 %	0	0 %	6
B00-B09	Viral infections characterized by skin and mucous membrane lesions	477	92 %	45 %	69 %	25 %	2.9	1	49 %	28 %	12 %	11 %	116	86 %	1,038
B15-B19	Viral hepatitis	69	77 %	78 %	41 %	36 %	4.1	2	0 %	96 %	4 %	0 %	0	0 %	281
B20-B24	Human immunodeficiency virus [HIV] disease	*	100 %	50 %	50 %	0 %	17.5	17.5	0 %	50 %	50 %	0 %	0	0 %	35
B25-B34	Other viral diseases	2,399	94 %	56 %	97 %	1 %	1.9	1	76 %	20 %	3 %	2 %	*	11 %	4,472
B35-B49	Mycoses	156	92 %	50 %	36 %	46 %	5.7	2	21 %	40 %	21 %	19 %	63	70 %	530
B50-B64	Protozoal diseases	56	71 %	68 %	80 %	4 %	6.3	4	7 %	73 %	14 %	5 %	*	33 %	348
B65-B83	Helminthiases	26	92 %	46 %	69 %	31 %	2.5	2	58 %	42 %	0 %	0 %	7	88 %	48
B85-B99	Other infectious and parasitic diseases	29	66 %	72 %	83 %	17 %	5.8	2.5	3 %	41 %	24 %	31 %	*	20 %	162
<b>II</b>	<b>Neoplasms (C00-D48)</b>	<b>59,309</b>	<b>94 %</b>	<b>48 %</b>	<b>12 %</b>	<b>34 %</b>	<b>6.9</b>	<b>3</b>	<b>3 %</b>	<b>37 %</b>	<b>40 %</b>	<b>20 %</b>	<b>30,577</b>	<b>60 %</b>	<b>133,761</b>
C00-C14	Malignant neoplasm of liporal cavity and pharynx	497	92 %	60 %	18 %	44 %	10.6	3.5	0 %	43 %	42 %	15 %	117	29 %	4,009
C15-C26	Malignant neoplasm of digestive organs	10,875	89 %	61 %	18 %	25 %	8.3	5	0 %	28 %	48 %	24 %	4,545	52 %	34,570
C30-C39	Malignant neoplasms of respiratory and intrathoracic organs	4,603	88 %	62 %	29 %	20 %	7.4	4	0 %	24 %	54 %	22 %	1,886	59 %	15,821
C40-C41	Malignant neoplasm of bone and articular cartilage	168	98 %	79 %	8 %	24 %	5.5	3	16 %	76 %	5 %	2 %	32	21 %	754
C43-C44	Malignant neoplasms of skin	3,035	99 %	59 %	2 %	88 %	4.5	2	0 %	22 %	32 %	46 %	2,600	88 %	1,928
C45-C49	Malignant neoplasms of mesothelial and soft tissue	450	92 %	56 %	17 %	23 %	5.8	3	12 %	29 %	37 %	22 %	198	54 %	1,386
C50	Malignant neoplasm of breast	6,922	99 %	0 %	4 %	22 %	4.2	2	0 %	61 %	32 %	7 %	2,435	37 %	6,743
C51-C58	Malignant neoplasms of female genital organs	2,838	94 %	0 %	9 %	23 %	6.6	3	1 %	42 %	43 %	15 %	1,762	69 %	7,053
C60-C63	Malignant neoplasms of male genital organs	1,924	95 %	100 %	14 %	35 %	5.5	3	0 %	23 %	52 %	25 %	1,032	64 %	4,202
C64-C68	Malignant neoplasms of urinary tract	3,465	94 %	73 %	9 %	45 %	5.1	3	1 %	20 %	45 %	33 %	1,718	55 %	8,165
C69-C72	Malignant neoplasms of eye, brain and other parts of central nervous system	884	91 %	68 %	21 %	17 %	8.8	4.5	37 %	41 %	18 %	4 %	456	74 %	3,747
73-C80, C81	Malignant neoplasm. of thyroid and oth. endo. Glands etc.	4,374	92 %	33 %	23 %	15 %	7.8	4	2 %	40 %	42 %	15 %	1,631	51 %	14,051
C81-C96	Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue	9,320	96 %	58 %	9 %	11 %	11.3	5	6 %	31 %	42 %	20 %	5,452	66 %	19,419
D00-D48	In situ and benign neoplasms and others of uncertainty	9,954	97 %	45 %	6 %	72 %	4.1	2	4 %	50 %	30 %	16 %	6,713	72 %	11,913
<b>III</b>	<b>Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)</b>	<b>8,028</b>	<b>89 %</b>	<b>43 %</b>	<b>30 %</b>	<b>41 %</b>	<b>3.9</b>	<b>2</b>	<b>8 %</b>	<b>41 %</b>	<b>28 %</b>	<b>23 %</b>	<b>4,769</b>	<b>87 %</b>	<b>11,795</b>
D50-D64	Anaemias	5,051	87 %	38 %	33 %	40 %	3.5	1	3 %	36 %	28 %	32 %	2,891	87 %	7,121
D65-D89	Diseases of the blood and blood-forming organs	2,977	93 %	50 %	25 %	41 %	4.8	3	16 %	50 %	26 %	9 %	1,878	86 %	4,674
<b>IV</b>	<b>Endocrine, nutritional and metabolic diseases (E00-E90)</b>	<b>11,875</b>	<b>85 %</b>	<b>53 %</b>	<b>42 %</b>	<b>22 %</b>	<b>4.6</b>	<b>2</b>	<b>4 %</b>	<b>51 %</b>	<b>27 %</b>	<b>18 %</b>	<b>5,385</b>	<b>79 %</b>	<b>28,206</b>
E00-E07	Disorders of thyroid gland	468	90 %	21 %	23 %	74 %	3.2	2	1 %	62 %	21 %	16 %	153	43 %	995

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

Chapter / Block	Title	Finished Episodes	Admissions	Male	Emergency	Waiting List	Mean Episode Duration	Median Episode Duration	Age 0-14	Age 15-59	Age 60-74	Age 75+	Daycases	% Daycases	Bed Days
E10-E14	Diabetes mellitus	4,369	85 %	55 %	42 %	24 %	4.0	2	5 %	55 %	28 %	11 %	2,277	92 %	8,298
E15-E90	Endocrine nutritional and metabolic diseases	7,038	85 %	53 %	42 %	17 %	5.2	2	4 %	48 %	26 %	21 %	2,955	75 %	18,913
<b>V</b>	<b>Mental and behavioural disorders (F00-F99)</b>	<b>4,447</b>	<b>80 %</b>	<b>65 %</b>	<b>94 %</b>	<b>3 %</b>	<b>3.6</b>	<b>1</b>	<b>2 %</b>	<b>70 %</b>	<b>14 %</b>	<b>13 %</b>	<b>159</b>	<b>76 %</b>	<b>15,545</b>
F00-F03	Dementia	301	60 %	37 %	96 %	1 %	11.0	3	0 %	1 %	20 %	79 %	0	0 %	3,313
F04-F09	Other organic including symptomatic mental disorders	209	58 %	46 %	97 %	1 %	6.3	2	1 %	18 %	17 %	64 %	0	0 %	1,310
F10-F19	Mental and behavioural disorders due to psychoactive substance use	3,084	82 %	75 %	99 %	0 %	2.6	1	1 %	84 %	13 %	1 %	*	33 %	8,074
F20-F29	Schizophrenia, schizotypal and delusional disorders	78	86 %	62 %	94 %	1 %	3.8	1	0 %	69 %	13 %	18 %	0	0 %	297
F30-F39	Mood [affective] disorders	297	88 %	39 %	64 %	9 %	2.6	1	1 %	65 %	21 %	13 %	88	99 %	546
F40-F69	Neurotic, behavioural and personality disorders	430	79 %	41 %	78 %	17 %	5.1	1	5 %	56 %	17 %	23 %	58	67 %	1,913
F70-F79	Mental retardation	0	0 %	0 %	0 %	0 %			0 %	0 %	0 %	0 %	0	0 %	
F80-F99	Other mental and behavioural disorders	48	94 %	63 %	60 %	31 %	2.6	1	71 %	13 %	10 %	6 %	13	76 %	92
<b>VI</b>	<b>Diseases of the nervous system (G00-G99)</b>	<b>8,465</b>	<b>84 %</b>	<b>45 %</b>	<b>52 %</b>	<b>31 %</b>	<b>6.0</b>	<b>2</b>	<b>11 %</b>	<b>53 %</b>	<b>21 %</b>	<b>15 %</b>	<b>2,877</b>	<b>77 %</b>	<b>33,367</b>
G00-G09	Inflammatory diseases of the central nervous system	195	72 %	57 %	72 %	4 %	11.1	7	21 %	61 %	15 %	3 %	9	56 %	2,056
G13, G30	Other degenerative diseases (incl. Alzheimer).	331	66 %	41 %	74 %	11 %	9.7	4	6 %	15 %	30 %	49 %	33	47 %	2,893
G20-G26	Extrapyramidal and movement disorders (incl. Parkinsonism)	366	77 %	48 %	52 %	29 %	9.6	2	6 %	26 %	31 %	37 %	141	85 %	2,170
G35-G37	Demyelinating diseases (incl. Multiple Sclerosis) of the central nervous system	376	87 %	31 %	39 %	24 %	13.1	6	0 %	80 %	18 %	2 %	167	77 %	2,731
G40-G47	Episodic and paroxysmal disorders	3,658	79 %	48 %	80 %	9 %	2.8	1	15 %	52 %	18 %	14 %	366	60 %	9,235
G73, G90	Other diseases and disorders of the nervous syst.	3,020	92 %	39 %	21 %	60 %	9.3	3	4 %	57 %	26 %	13 %	1,806	81 %	11,231
G80-G83	Cerebral palsy and other paralytic syndromes	519	92 %	63 %	15 %	42 %	18.6	3	31 %	53 %	9 %	7 %	355	85 %	3,051
<b>VII</b>	<b>Diseases of the eye and adnexa (H00-H59)</b>	<b>13,376</b>	<b>99 %</b>	<b>44 %</b>	<b>4 %</b>	<b>92 %</b>	<b>2.3</b>	<b>1</b>	<b>4 %</b>	<b>20 %</b>	<b>34 %</b>	<b>43 %</b>	<b>11,869</b>	<b>93 %</b>	<b>3,438</b>
H22, H30	Other disorders of the eye etc.	4,037	98 %	49 %	12 %	79 %	2.5	1	12 %	41 %	28 %	20 %	2,917	83 %	2,788
H10-H13	Disorders of conjunctiva (including conjunctivitis)	146	99 %	58 %	21 %	78 %	1.6	1	18 %	50 %	23 %	8 %	109	94 %	61
H25-H28	Disorders of lens (including cataracts)	8,800	100 %	40 %	0 %	99 %	1.2	1	0 %	9 %	36 %	54 %	8,544	97 %	317
H40-H42	Glaucoma	393	100 %	48 %	9 %	85 %	2.9	1	2 %	25 %	41 %	32 %	299	83 %	272
<b>VIII</b>	<b>Diseases of the ear and mastoid process (H60-H95)</b>	<b>3,075</b>	<b>99 %</b>	<b>52 %</b>	<b>15 %</b>	<b>82 %</b>	<b>1.8</b>	<b>1</b>	<b>60 %</b>	<b>30 %</b>	<b>8 %</b>	<b>3 %</b>	<b>1,871</b>	<b>73 %</b>	<b>2,114</b>
<b>IX</b>	<b>Diseases of the circulatory system (I00-I99)</b>	<b>43,004</b>	<b>81 %</b>	<b>57 %</b>	<b>52 %</b>	<b>30 %</b>	<b>5.5</b>	<b>2</b>	<b>1 %</b>	<b>31 %</b>	<b>35 %</b>	<b>33 %</b>	<b>10,354</b>	<b>65 %</b>	<b>180,276</b>
I00-I09	Rheumatic heart disease	268	81 %	34 %	30 %	55 %	10.3	6	0 %	16 %	41 %	43 %	73	46 %	2,006
I10-I15	Hypertensive diseases	869	49 %	54 %	64 %	14 %	3.3	1	1 %	36 %	35 %	27 %	59	25 %	2,506
I20-I25	Ischaemic heart diseases	14,440	87 %	68 %	47 %	33 %	4.6	2	0 %	28 %	43 %	30 %	3,106	59 %	51,930
I26-I28	Pulmonary heart disease and diseases of pulmonary circulation	976	67 %	45 %	87 %	5 %	6.4	4	1 %	33 %	38 %	28 %	27	37 %	6,048
I30-I52	Other forms of heart disease	12,258	80 %	54 %	66 %	18 %	5.4	2	1 %	20 %	34 %	45 %	1,834	61 %	56,076
I60-I69	Cerebrovascular diseases	4,885	60 %	51 %	65 %	5 %	9.3	3	0 %	33 %	28 %	38 %	816	71 %	38,020
I70-I79	Diseases of arteries, arterioles and capillaries	2,795	82 %	57 %	25 %	41 %	6.6	3	2 %	36 %	35 %	27 %	868	48 %	12,586
I80-I89	Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified	5,690	92 %	46 %	23 %	71 %	3.4	1	3 %	64 %	23 %	10 %	3,571	82 %	7,282
I95-I99	Other and unspecified disorders of the circulatory system	823	67 %	54 %	89 %	6 %	4.7	2	1 %	14 %	28 %	57 %	*	6 %	3,822
<b>X</b>	<b>Diseases of the respiratory system (J00-J99)</b>	<b>39,242</b>	<b>77 %</b>	<b>50 %</b>	<b>76 %</b>	<b>19 %</b>	<b>4.3</b>	<b>2</b>	<b>23 %</b>	<b>27 %</b>	<b>23 %</b>	<b>27 %</b>	<b>2,056</b>	<b>26 %</b>	<b>160,783</b>
J00-J06	Acute upper respiratory infections	5,407	98 %	49 %	63 %	35 %	1.4	1	71 %	28 %	1 %	1 %	148	8 %	7,530
J10-J18	Influenza and pneumonia	8,513	63 %	51 %	93 %	1 %	6.3	3	8 %	21 %	25 %	45 %	64	30 %	52,897
J20-J22	Other acute lower respiratory infections	6,624	77 %	51 %	94 %	1 %	4.5	2	30 %	17 %	18 %	35 %	20	13 %	29,681
J30-J39	Other diseases of upper respiratory tract	5,279	99 %	55 %	9 %	90 %	1.3	1	29 %	61 %	8 %	2 %	1,459	31 %	5,055

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

Chapter / Block	Title	Finished Episodes	Admissions	Male	Emergency	Waiting List	Mean Episode Duration	Median Episode Duration	Age 0-14	Age 15-59	Age 60-74	Age 75+	Daycases	% Daycases	Bed Days
J40-J47	Chronic lower respiratory diseases	9,493	73 %	45 %	93 %	3 %	4.4	2	8 %	21 %	41 %	30 %	186	45 %	40,823
J60-J70	Lung diseases due to external agents	1,093	58 %	56 %	95 %	1 %	7.5	4	2 %	19 %	26 %	54 %	*	8 %	8,189
J80-J99	Other diseases of the respiratory system	2,833	65 %	55 %	74 %	13 %	6.3	3	4 %	33 %	32 %	31 %	179	36 %	16,608
<b>XI</b>	<b>Diseases of the digestive system (K00-K93)</b>	<b>71,846</b>	<b>88 %</b>	<b>48 %</b>	<b>35 %</b>	<b>56 %</b>	<b>4.2</b>	<b>2</b>	<b>13 %</b>	<b>47 %</b>	<b>24 %</b>	<b>16 %</b>	<b>38,215</b>	<b>84 %</b>	<b>141,525</b>
K00-K14	Diseases of oral cavity, salivary glands and jaws	9,747	99 %	49 %	3 %	94 %	2.2	1	67 %	27 %	4 %	2 %	8,690	93 %	2,303
K20-K31	Diseases of oesophagus, stomach and duodenum	16,924	89 %	49 %	25 %	63 %	3.3	1	4 %	48 %	31 %	17 %	12,090	97 %	16,122
K35-K38	Diseases of appendix	1,892	90 %	56 %	97 %	1 %	3.2	2	22 %	70 %	6 %	2 %	*	10 %	6,111
K40-K46	Hernia	6,135	95 %	59 %	14 %	82 %	2.7	1	4 %	47 %	31 %	18 %	3,625	69 %	6,789
K50-K52	Noninfective enteritis and colitis	8,091	86 %	46 %	45 %	41 %	4.1	2	8 %	63 %	17 %	11 %	3,851	88 %	17,571
K55-K63	Other diseases of intestines	15,380	89 %	46 %	38 %	54 %	5.0	2	4 %	43 %	31 %	22 %	8,338	89 %	34,890
K65-K67	Diseases of peritoneum	310	68 %	49 %	68 %	23 %	8.2	6	3 %	41 %	31 %	25 %	8	10 %	2,481
K70-K77	Diseases of liver	1,734	66 %	54 %	73 %	15 %	7.1	3	0 %	67 %	26 %	6 %	152	38 %	11,287
K80-K87	Disorders of gallbladder, biliary tract and pancreas	8,504	81 %	40 %	60 %	34 %	4.5	3	0 %	50 %	27 %	22 %	630	20 %	35,633
K90-K93	Other diseases of the digestive system	3,129	70 %	53 %	67 %	29 %	3.6	2	5 %	43 %	23 %	28 %	831	84 %	8,338
<b>XII</b>	<b>Diseases of the skin and subcutaneous tissue (L00-L99)</b>	<b>10,933</b>	<b>94 %</b>	<b>45 %</b>	<b>29 %</b>	<b>42 %</b>	<b>5.0</b>	<b>2</b>	<b>7 %</b>	<b>67 %</b>	<b>16 %</b>	<b>11 %</b>	<b>6,653</b>	<b>87 %</b>	<b>21,552</b>
L14, L55-	Other infections and disorders of the skin	8,935	93 %	45 %	32 %	47 %	4.8	2	6 %	67 %	15 %	12 %	5,406	90 %	16,800
L20-L30	Dermatitis and eczema	349	94 %	51 %	42 %	32 %	5.8	4	20 %	46 %	15 %	18 %	39	20 %	1,790
L40-L45	Papulosquamous disorders (including Psoriasis)	1,422	99 %	45 %	3 %	21 %	9.2	8	0 %	78 %	19 %	3 %	1,150	84 %	2,514
L50-L54	Urticaria and erythema	227	92 %	47 %	67 %	11 %	2.7	1	35 %	52 %	7 %	6 %	58	81 %	448
<b>XIII</b>	<b>Diseases of the musculoskeletal system and connective tissue (M00-M99)</b>	<b>25,469</b>	<b>96 %</b>	<b>41 %</b>	<b>15 %</b>	<b>55 %</b>	<b>4.5</b>	<b>3</b>	<b>2 %</b>	<b>54 %</b>	<b>30 %</b>	<b>14 %</b>	<b>15,028</b>	<b>70 %</b>	<b>47,357</b>
M00-M25	Arthropathies	13,093	97 %	40 %	9 %	58 %	4.3	3	2 %	47 %	36 %	15 %	7,368	63 %	24,774
M30-M36	Systemic connective tissue disorders	1,277	95 %	19 %	10 %	16 %	6.5	4	5 %	62 %	25 %	8 %	946	84 %	2,078
M40-M54	Dorsopathies	5,461	96 %	46 %	20 %	53 %	5.1	2	1 %	65 %	23 %	11 %	3,728	87 %	8,898
M60-M79	Soft tissue disorders	4,219	96 %	44 %	21 %	64 %	2.8	1	3 %	58 %	28 %	12 %	2,613	79 %	4,512
M80-M94	Osteopathies and chondropathies	1,272	86 %	48 %	35 %	37 %	7.2	3	9 %	49 %	22 %	20 %	343	45 %	6,660
M95-M99	Other disorders of the musculoskeletal system and connective tissue	147	99 %	61 %	1 %	90 %	3.7	1	5 %	83 %	9 %	3 %	30	21 %	435
<b>XIV</b>	<b>Diseases of the genitourinary system (N00-N99)</b>	<b>139,424</b>	<b>94 %</b>	<b>54 %</b>	<b>10 %</b>	<b>13 %</b>	<b>3.3</b>	<b>1</b>	<b>1 %</b>	<b>36 %</b>	<b>35 %</b>	<b>28 %</b>	<b>12,111</b>	<b>10 %</b>	<b>89,349</b>
N08, N10-	Diseases of the kidney	1,664	78 %	45 %	59 %	26 %	4.0	3	8 %	55 %	21 %	17 %	201	37 %	5,764
N17-N19	Renal failure	110,070	95 %	59 %	3 %	1 %	2.4	1	0 %	31 %	39 %	30 %	811	1 %	22,093
N20-N23	Urolithiasis	3,003	93 %	68 %	36 %	57 %	2.4	2	1 %	69 %	24 %	6 %	1,156	64 %	4,435
N25-N29	Other disorders of kidney and ureter	174	86 %	58 %	40 %	55 %	4.0	2	7 %	40 %	34 %	20 %	39	38 %	532
N30-N39	Other diseases of the urinary system	10,356	81 %	38 %	60 %	32 %	5.0	2	5 %	33 %	24 %	38 %	2,524	64 %	38,959
N40-N51	Diseases of male genital organs	3,123	96 %	100 %	23 %	74 %	2.6	2	17 %	42 %	25 %	16 %	1,625	68 %	3,952
N60-N64	Disorders of breast	436	95 %	11 %	31 %	67 %	1.9	1	2 %	81 %	13 %	4 %	127	42 %	580
N70-N77	Inflammatory diseases of female pelvic organs	680	94 %	0 %	43 %	53 %	3.4	2	1 %	88 %	6 %	4 %	206	56 %	1,617
N80-N98	Noninflammatory disorders of female genital tract	9,767	99 %	0 %	8 %	90 %	2.5	2	1 %	83 %	13 %	4 %	5,397	60 %	10,916
N99	Other disorders of the genitourinary system	151	96 %	36 %	20 %	71 %	4.0	3	13 %	31 %	37 %	19 %	25	21 %	501
<b>XV</b>	<b>Pregnancy, childbirth and the puerperium (O00-O99)</b>	<b>4,153</b>	<b>98 %</b>	<b>0 %</b>	<b>77 %</b>	<b>8 %</b>	<b>1.9</b>	<b>1</b>	<b>0 %</b>	<b>100 %</b>	<b>0 %</b>	<b>0 %</b>	<b>123</b>	<b>16 %</b>	<b>7,744</b>
O00-O08	Pregnancy with abortive outcome	2,639	100 %	0 %	71 %	11 %	1.6	1	0 %	100 %	0 %	0 %	108	15 %	4,020
O85-O92	Complications of labour and delivery	1,514	94 %	0 %	88 %	4 %	2.5	2	0 %	100 %	0 %	0 %	15	17 %	3,724
O80-O84	Delivery	*	100 %	0 %	0 %	100 %	.	.	0 %	100 %	0 %	0 %	*	100 %	.
<b>XVI</b>	<b>Certain conditions originating in the perinatal period (P00-P96)</b>	<b>2,598</b>	<b>93 %</b>	<b>56 %</b>	<b>44 %</b>	<b>1 %</b>	<b>8.1</b>	<b>3</b>	<b>100 %</b>	<b>0 %</b>	<b>0 %</b>	<b>0 %</b>	<b>8</b>	<b>35 %</b>	<b>20,888</b>

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

Chapter / Block	Title	Finished Episodes	Admissions	Male	Emergency	Waiting List	Mean Episode Duration	Median Episode Duration	Age 0-14	Age 15-59	Age 60-74	Age 75+	Daycases	% Daycases	Bed Days
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery	8	88 %	50 %	0 %	0 %	2.5	1	100 %	0 %	0 %	0 %	0	0 %	20
P05-P96	Other conditions originating in the perinatal period	2,590	93 %	56 %	44 %	1 %	8.1	3	100 %	0 %	0 %	0 %	8	35 %	20,868
<b>XVII</b>	<b>Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)</b>	<b>3,406</b>	<b>91 %</b>	<b>58 %</b>	<b>11 %</b>	<b>61 %</b>	<b>4.8</b>	<b>2</b>	<b>70 %</b>	<b>23 %</b>	<b>5 %</b>	<b>2 %</b>	<b>1,418</b>	<b>54 %</b>	<b>9,553</b>
Q00-Q89	Congenital malformations	3,370	91 %	58 %	11 %	62 %	4.8	2	70 %	23 %	5 %	2 %	1,407	54 %	9,356
Q90-Q99	Chromosomal abnormalities, not elsewhere classified	36	97 %	36 %	8 %	22 %	7.9	7	97 %	3 %	0 %	0 %	11	92 %	197
<b>XVIII</b>	<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)</b>	<b>49,836</b>	<b>87 %</b>	<b>49 %</b>	<b>65 %</b>	<b>30 %</b>	<b>2.8</b>	<b>1</b>	<b>8 %</b>	<b>47 %</b>	<b>24 %</b>	<b>20 %</b>	<b>13,554</b>	<b>84 %</b>	<b>101,946</b>
R00-R09	Symptoms and signs involving the circulatory and respiratory systems	13,439	90 %	55 %	80 %	14 %	2.2	1	6 %	46 %	29 %	19 %	1,889	84 %	25,895
R10-R19	Symptoms and signs involving the digestive system and abdomen	13,884	88 %	35 %	61 %	36 %	2.9	2	8 %	61 %	19 %	12 %	4,558	87 %	26,586
R20-R23	Symptoms and signs involving the skin and subcutaneous tissue	742	92 %	48 %	72 %	18 %	2.2	1	40 %	39 %	15 %	6 %	117	64 %	1,371
R25-R29	Symptoms and signs involving the nervous and musculoskeletal systems	679	81 %	46 %	77 %	9 %	3.7	1	25 %	33 %	20 %	22 %	98	71 %	2,121
R30-R39	Symptoms and signs involving the urinary system	5,701	95 %	64 %	18 %	77 %	3.1	2	1 %	40 %	32 %	26 %	4,094	89 %	4,960
R40-R46	Symptoms and signs involving cognition, perception, emotional state and behaviour	1,900	72 %	48 %	95 %	2 %	4.0	1	4 %	29 %	23 %	44 %	32	52 %	7,473
R47-R49	Symptoms and signs involving speech and voice	333	88 %	53 %	39 %	55 %	2.1	1	7 %	40 %	38 %	16 %	81	40 %	521
R50-R68	General symptoms and signs	10,343	81 %	47 %	85 %	10 %	3.1	1	16 %	41 %	17 %	27 %	747	60 %	30,001
R69	Unknown and unspecified causes of morbidity	*	100 %	100 %	100 %	0 %	1.0	1	100 %	0 %	0 %	0 %	0	0 %	1
R70-R89	Abnormal findings of bodily fluids or samples without diag.	1,371	94 %	79 %	18 %	77 %	3.2	2	2 %	33 %	46 %	19 %	1,037	93 %	1,073
R90-R94	Abnormal findings on diagnostic imaging and in function studies, without diagnosis	1,444	89 %	51 %	23 %	72 %	3.6	1	1 %	36 %	40 %	23 %	901	82 %	1,944
R95-R99	Ill-defined and unknown causes of mortality	0	0 %	0 %	0 %	0 %			0 %	0 %	0 %	0 %	0	0 %	
<b>XIX</b>	<b>Injury, poisoning and certain other consequences of external causes (S00-T98)</b>	<b>34,433</b>	<b>85 %</b>	<b>54 %</b>	<b>77 %</b>	<b>10 %</b>	<b>4.5</b>	<b>1</b>	<b>12 %</b>	<b>54 %</b>	<b>14 %</b>	<b>20 %</b>	<b>1,778</b>	<b>39 %</b>	<b>146,442</b>
S00-S09	Injuries to the head	6,898	88 %	68 %	77 %	14 %	3.1	1	17 %	59 %	9 %	15 %	822	69 %	19,109
S10-S19	Injuries to the neck	395	87 %	61 %	87 %	1 %	5.7	2	5 %	64 %	12 %	18 %	*	17 %	2,233
S20-S29	Injuries to the thorax	959	74 %	61 %	90 %	1 %	4.9	2	3 %	46 %	23 %	29 %	*	13 %	4,692
S30-S39	Injuries to the abdomen, lower back, lumbar spine and pelvis	1,445	74 %	51 %	89 %	2 %	6.5	2	7 %	43 %	14 %	36 %	10	23 %	9,374
S40-S49	Injuries to the shoulder and upper arm	1,309	86 %	47 %	79 %	6 %	4.5	2	20 %	36 %	19 %	25 %	6	4 %	5,803
S50-S59	Injuries to the elbow and forearm	2,030	92 %	52 %	71 %	11 %	2.6	1	33 %	40 %	13 %	14 %	65	18 %	5,205
S60-S69	Injuries to the wrist and hand	2,190	94 %	73 %	73 %	13 %	1.8	1	12 %	75 %	7 %	5 %	227	54 %	3,461
S70-S79	Injuries to the hip and thigh	3,708	78 %	30 %	76 %	1 %	10.3	8	3 %	10 %	20 %	68 %	6	12 %	37,977
S80-S89	Injuries to the knee and lower leg	2,553	87 %	53 %	76 %	7 %	6.1	4	8 %	58 %	16 %	18 %	17	7 %	15,428
S90-S99	Injuries to the ankle and foot	370	88 %	69 %	76 %	9 %	5.5	2	9 %	68 %	11 %	12 %	11	19 %	1,977
T00-T07	Injuries involving multiple body regions	158	80 %	59 %	78 %	3 %	8.4	2	8 %	56 %	15 %	20 %	0	0 %	1,325
T08-T14	Injuries to unspecified part of trunk, limb or body region	107	77 %	44 %	93 %	2 %	7.0	1	2 %	51 %	9 %	37 %	*	25 %	738
T15-T19	Effects of foreign body entering through natural orifice	475	92 %	59 %	65 %	19 %	1.5	1	42 %	35 %	11 %	13 %	83	69 %	606
T20-T32	Burns and corrosions	260	88 %	65 %	57 %	15 %	7.7	2	33 %	50 %	8 %	10 %	9	21 %	1,927

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

Chapter / Block	Title	Finished Episodes	Admissions	Male	Emergency	Waiting List	Mean Episode Duration	Median Episode Duration	Age 0-14	Age 15-59	Age 60-74	Age 75+	Daycases	% Daycases	Bed Days
T33-T35	Frostbite	12	67 %	100 %	67 %	0 %	10.5	7	0 %	67 %	0 %	33 %	0	0 %	126
T36-T50	Poisoning by drugs, medicaments and biological substances	5,500	86 %	48 %	98 %	0 %	1.5	1	4 %	90 %	4 %	2 %	*	23 %	8,158
T51-T65	Toxic effects of substances chiefly nonmedicinal as to source	295	84 %	59 %	93 %	2 %	1.8	1	17 %	68 %	9 %	5 %	7	78 %	522
T66-T78	Other and unspecified effects of external causes	547	91 %	55 %	88 %	3 %	1.7	1	27 %	58 %	9 %	6 %	34	89 %	877
T79	Certain early complications of trauma	128	57 %	81 %	47 %	6 %	4.7	2	4 %	83 %	7 %	6 %	*	17 %	598
T80-T88	Complications of surgical and medical care, not elsewhere classified	5,094	82 %	50 %	56 %	28 %	5.7	2	9 %	45 %	27 %	19 %	481	26 %	26,297
T90-T98	Sequelae of injuries, of poisoning and of other consequences of external causes	*	100 %	80 %	0 %	100 %	2.3	2.5	0 %	100 %	0 %	0 %	*	20 %	9
<b>XX</b>	<b>External causes of morbidity and mortality (V01-Y98)</b>	<b>19</b>	<b>89 %</b>	<b>37 %</b>	<b>68 %</b>	<b>16 %</b>	<b>2.9</b>	<b>1</b>	<b>16 %</b>	<b>37 %</b>	<b>21 %</b>	<b>26 %</b>	<b>*</b>	<b>17 %</b>	<b>50</b>
<b>XXI</b>	<b>Factors influencing health status and contact with health services (Z00-Z99)</b>	<b>15,854</b>	<b>99 %</b>	<b>59 %</b>	<b>6 %</b>	<b>58 %</b>	<b>3.4</b>	<b>1</b>	<b>12 %</b>	<b>51 %</b>	<b>24 %</b>	<b>14 %</b>	<b>11,547</b>	<b>78 %</b>	<b>14,156</b>
Z00-Z13	Persons encountering health services for examination and investigation	8,312	99 %	56 %	8 %	44 %	1.7	1	9 %	40 %	32 %	19 %	7,079	92 %	2,075
Z20-Z29	Persons with potential health hazards related to communicable diseases	222	100 %	64 %	1 %	59 %	1.5	1	95 %	2 %	2 %	0 %	214	98 %	12
Z30-Z39	Persons encountering health services in circumstances related to reproduction	2,724	99 %	69 %	1 %	95 %	3.1	1	2 %	98 %	0 %	0 %	2,463	93 %	806
Z40-Z54	Persons encountering health services for specific procedures and health care	3,726	97 %	59 %	5 %	73 %	3.4	1	15 %	48 %	23 %	15 %	1,622	47 %	7,066
Z55-Z65	Persons with potential health hazards related to socioeconomic and psychosocial circumstances	11	55 %	9 %	100 %	0 %	2.1	2	36 %	0 %	45 %	18 %	0	0 %	23
Z70-Z76	Persons encountering health services in other circumstances	589	97 %	52 %	21 %	11 %	7.2	7	38 %	35 %	21 %	7 %	16	3 %	4,107
Z80-Z99	Persons with potential health hazards related to family & personal history & certain conditions influencing health status	270	100 %	64 %	3 %	12 %	4.8	1.5	31 %	24 %	41 %	3 %	153	58 %	67

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

<b>Chapter / Block</b>	<b>Title</b>	<b>Finished Episodes</b>	<b>Admissions</b>	<b>Male</b>	<b>Emergency</b>	<b>Waiting List</b>	<b>Mean Episode Duration</b>	<b>Median Episode Duration</b>	<b>Age 0-14</b>	<b>Age 15-59</b>	<b>Age 60-74</b>	<b>Age 75+</b>	<b>Daycases</b>	<b>% Daycases</b>	<b>Bed Days</b>
----------------------------	--------------	------------------------------	-------------------	-------------	------------------	-------------------------	--------------------------------------	--	-----------------	------------------	------------------	----------------	-----------------	-------------------	-----------------

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

<b>Chapter / Block</b>	<b>Title</b>	<b>Finished Episodes</b>	<b>Admissions</b>	<b>Male</b>	<b>Emergency</b>	<b>Waiting List</b>	<b>Mean Episode Duration</b>	<b>Median Episode Duration</b>	<b>Age 0-14</b>	<b>Age 15-59</b>	<b>Age 60-74</b>	<b>Age 75+</b>	<b>Daycases</b>	<b>% Daycases</b>	<b>Bed Days</b>
----------------------------	--------------	------------------------------	-------------------	-------------	------------------	-------------------------	--------------------------------------	--	-----------------	------------------	------------------	----------------	-----------------	-------------------	-----------------

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

<b>Chapter / Block</b>	<b>Title</b>	<b>Finished Episodes</b>	<b>Admissions</b>	<b>Male</b>	<b>Emergency</b>	<b>Waiting List</b>	<b>Mean Episode Duration</b>	<b>Median Episode Duration</b>	<b>Age 0-14</b>	<b>Age 15-59</b>	<b>Age 60-74</b>	<b>Age 75+</b>	<b>Daycases</b>	<b>% Daycases</b>	<b>Bed Days</b>
----------------------------	--------------	------------------------------	-------------------	-------------	------------------	-------------------------	--------------------------------------	--	-----------------	------------------	------------------	----------------	-----------------	-------------------	-----------------

**Acute Programme of Care Primary Diagnosis Summary**

HSC Hospitals, Northern Ireland, 2010/11

<b>Chapter / Block</b>	<b>Title</b>	<b>Finished Episodes</b>	<b>Admissions</b>	<b>Male</b>	<b>Emergency</b>	<b>Waiting List</b>	<b>Mean Episode Duration</b>	<b>Median Episode Duration</b>	<b>Age 0-14</b>	<b>Age 15-59</b>	<b>Age 60-74</b>	<b>Age 75+</b>	<b>Daycases</b>	<b>% Daycases</b>	<b>Bed Days</b>
----------------------------	--------------	------------------------------	-------------------	-------------	------------------	-------------------------	--------------------------------------	--	-----------------	------------------	------------------	----------------	-----------------	-------------------	-----------------