



Appendix 3 **Pandemic Influenza: Initial MANAGEMENT of adults referred to HOSPITAL**




*Mental Test Score ≤ 8, or new disorientation in person, place or time

Appendix 4 **Pandemic Influenza: Initial INVESTIGATIONS for adults referred to HOSPITAL**



Appendix 5 **Pandemic influenza - Initial Assessment and Management of Children**



Pandemic influenza - Management of children referred to hospital




Table 1

Children at Risk for complications from Pandemic Influenza.

- Chronic respiratory disease
Including asthma (on inhaled steroids and above) , cystic fibrosis, chronic lung disease of prematurity, bronchiectasis
- Congenital heart disease
- Chronic renal disease
eg nephrotic syndrome, renal failure
- Chronic liver or Gastrointestinal disease
Including inflammatory bowel disease
- Immunodeficiency
- Malignancy
- Diabetes and other metabolic conditions
- Haemoglobinopathy

. Oseltamivir doses in children over 1 year:

- 30mg every 12 hours (body weight <15kg ,<3years);
- 45mg every 12 hours (body weight 16-23kg, <7 years);
- 75 mg every 12 hours (body weight over 24kg,over 7 years)

Antibiotic doses

Co-amoxiclav

- <1 year ---0.266ml/kg of 125/31 suspension tds
- 1-6 years ---5ml of 125/31 suspension tds
- >6 years ---5ml of 250/62 suspension tds

If allergic

Clarithromycin

- < 8.5kg --7.5mg/kg b.d.
- 1-2 years--- 62.5mg b.d.
- 3-6yrs ---125mg b.d.
- 7-9yrs---187.5mg b.d.
- >10years ---250mg b.d.

Co-amoxiclav

Age	Dose	Frequency	Type
1-12 months	2.5ml	tds	of 125/31 suspension
1-6 years	5ml	tds	of 125/31 suspension
7-12 years	5ml	tds	of 250/62 suspension
12-18 yrs	1tablet	tds	250/125
All ages	30mg/kg	tds	iv

Clarithromycin

Age	Dose	Frequency	Type
1-12months	2ml	bd	125mg in 5ml
1-2 years	2.5ml	bd	125mg in 5 ml
3-6 years	5ml	bd	125mg in 5 ml
7-9 years	7.5ml	bd	125mg in 5 ml
>10years	250mg	bd	tablet
All ages	5-7mg/kg	bd	iv

Cefuroxime

Age	Dose	Frequency	Notes
1 - 24months	125mg	bd	oral
2-12 years	250mg	bd	oral
All ages	20-30mg/kg	tds	iv

Doxycycline

Age	Dose	Frequency	Notes
>12 years	100mg	od	oral