

**LIST OF DRUGS CURRENTLY CONTROLLED UNDER
CLASS A**

Please note that the list is not exhaustive and in the event of a substance not being listed below reference should also be made to the notes in Parts I, II, III and IV of Schedule 2 of the Misuse of Drugs Act 1971 and in Schedules 1 to 5 of The Misuse of Drugs Regulations (Northern Ireland) 2002. Reference may also be made to Home Office Drugs Licensing who hold a more detailed list of drugs in Schedules 1 and 2.

| <u>Drug</u> | <u>Class</u> <u>(MDA)</u> | <u>Schedule</u> <u>(MDR (NI) 2002)</u> |
|--|------------------------------|---|
| Acetorphine | A | 2 |
| Alfentanil | A | 2 |
| Allyl (α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| Allylprodine | A | 2 |
| Alphacetylmethadol | A | 2 |
| Alphameprodine | A | 2 |
| Alphamethadol | A | 2 |
| Alphaprodine | A | 2 |
| 2-Amino-1-(2,5-dimethoxy-4-methylphenyl)ethanol | A | 1 |
| 2-Amino-1-(3,4-dimethoxyphenyl)ethanol | A | 1 |
| Anileridine | A | 2 |
| Benzethidine | A | 2 |
| Benzyl(α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| Benzylmorphine (3-benzylmorphine) | A | 2 |
| 3-Benzylmorphine (benzylmorphine) | A | 2 |
| Betacetylmethadol | A | 2 |
| Betameprodine | A | 2 |
| Betamethadol | A | 2 |
| Betaprodine | A | 2 |
| Bezitramide | A | 2 |
| 4-bromo-2,5-dimethoxy- α -methylphenethylamine | A | 1 |
| 4-Bromo- β ,2,5-trimethoxyphenethylamine | A | 1 |
| Bufotenine | A | 1 |
| N-(4-sec-Butylthio-2,5-dimethoxyphenethyl)hydroxylamine | A | 1 |

| | | |
|---|---|------|
| Cannabinol (except where contained in cannabis or cannabis resin) | A | 1 |
| Cannabinol derivatives (except dronabinol or its derivatives) | A | 1 |
| Cannabis oil - derived from herbal cannabis | A | 1 |
| Carfentanil | A | 2 |
| Clonitazene | A | 2 |
| Coca leaf | A | 1 |
| Cocaine | A | 2/5① |
| Concentrate of poppy straw | A | 1 |
| 4-cyano-2-dimethylamino-4,4-diphenylbutane | A | 2 |
| 1-3-cyano-3,3-diphenylpropyl-4-phenylpiperidine-4-carboxylic acid (difenoxin) | A | 2/5② |
| 4-cyano-1-methyl-4-phenylpiperidine | A | 2 |
| Cyclopropylmethyl(α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| Delta-9-Tetrahydrocannabinol (or Delta-9-THC) | A | 2 |
| Desomorphine | A | 2 |
| Dextromoramide | A | 2 |
| Diacetylmorphine | A | 2 |
| Diamorphine | A | 2 |
| Diapromide | A | 2 |
| 3,6-Dinicotinoyl-morphine (nicomorphine) | A | 2 |
| Diethylthiambutene | A | 2 |
| Difenoxin (1-3-cyano-3,3-diphenylpropyl-4-phenylpiperidine-4-carboxylic acid) | A | 2/5② |
| Dihydrocodeinone-0-carboxymethyloxime | A | 2 |
| Dihydromorphine | A | 2 |
| Dimenoxadole | A | 2 |
| Dimepheptanol | A | 2 |
| 2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)ethylamine | A | 1 |
| 2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)-1-methylethylamine | A | 1 |
| 2,5-Dimethoxy- α , 4-dimethylphenethylamine | A | 1 |
| 2-(2,5-Dimethoxy-4-methylphenyl)cyclopropylamine | A | 1 |
| 2-(1,4-Dimethoxy-2-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Dimethoxy-2-naphthyl)-1-methylethylamine | A | 1 |

| | | |
|--|---|------------------|
| N-(2,5-Dimethoxy-4-propylthiophenethyl)hydroxylamine | A | 1 |
| 2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)-1-methylethylamine | A | 1 |
| α,α -Dimethyl-3,4-methylenedioxyphenethylamine | A | 1 |
| α,α -Dimethyl-3,4-methylenedioxyphenethyl(methyl)amine | A | 1 |
| Dimethyl(α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| Dimethylthiambutene | A | 2 |
| 3,6-Dinicotinoyl-morphine (nicomorphine) | A | 2 |
| Dioxaphetyl butyrate | A | 2 |
| Diphenoxylate | A | 2/5 ^③ |
| Dipipanone | A | 2 |
| Dronabinol (Delta-9-THC) | A | 2 |
| Drotebanol (3,4-dimethoxy-17-methylmorphinan- 6 β , 14-diol) | A | 2 |
| Ecgonine (& any derivative of ecgonine which is convertible to ecgonine or to cocaine) | A | 2 |
| Ethylmethylthiambutene | A | 2 |
| N-(4-Ethylthio-2,5-dimethoxyphenethyl)hydroxylamine | A | 1 |
| Eticyclidine | A | 1 |
| Etonitazene | A | 2 |
| Etorphine | A | 2 |
| Etoxadine | A | 2 |
| Etryptamine | A | 1 |
| Fentanyl | A | 2 |
| Furethidine | A | 2 |
| Hydrocodone (dihydrocodeinone) | A | 2 |
| Hydromorphanol | A | 2 |
| Hydromorphone | A | 2 |
| Hydroxypethidine | A | 2 |
| 4-Iodo-2,5-dimethoxy- α -methylphenethyl(dimethyl)amine | A | 1 |
| Isomethadone | A | 2 |
| Ketobemidone | A | 2 |
| Levomethorphan | A | 2 |
| Levomoramide | A | 2 |

| | | |
|--|---|------|
| Levophenacymorphan | A | 2 |
| Levorphanol | A | 2 |
| Lofentanil | A | 2 |
| Lysergamide | A | 1 |
| Lysergide (& other N-alkyl derivatives of lysergamide) | A | 1 |
| MDA | A | 1 |
| MDEA | A | 1 |
| MDMA | A | 1 |
| Medicinal opium | A | 2/5④ |
| 2-(1,4-Mehano-5,8-dimethoxy-1,2,3,4-tetrahydro-6-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Mehano-5,8-dimethoxy-1,2,3,4-tetrahydro-6-naphthyl)-1-methylethylamine | A | 1 |
| Mescaline | A | 1 |
| Metazocine | A | 2 |
| Methadone | A | 2 |
| Methadyl acetate | A | 2 |
| Methcathinone | A | 1 |
| β -Methoxy-3,4-methylenedioxyphenethylamine | A | 1 |
| 2-(5-Methoxy-2,2-dimethyl-2,3-dihydrobenzo[b]furam-6-yl)-1-methylethylamine | A | 1 |
| 2-Methoxyethyl(α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| 2-(5-Methoxy-2,2-methyl-2,3-dihydrobenzo[b]furam-6-yl)-1-methylethylamine | A | 1 |
| 4-Methyl-aminorex | A | 1 |
| N-Methyl-N-(α -methyl-3,4-methylenedioxyphenethyl)hydroxylamine | A | 1 |
| O-Methyl-N-(α -methyl-3,4-methylenedioxyphenethyl)hydroxylamine | A | 1 |
| 2-(α -Methyl-3,4-methylenedioxyphenethylamino)ethanol | A | 1 |
| α -Methyl-3,4-methylenedioxyphenethyl(prop-2-ynyl)amine | A | 1 |
| α -Methyl-4-(methylthio)phenethylamine (also known as 4-Methylthioamphetamine) | A | 1 |
| 1-methyl-4-phenyl-piperidine-4-carboxylic acid isopropyl ester (properidine) | | |

| | | |
|---|---|------|
| | A | 2 |
| 1-methyl-4-phenylpiperidine-4-carboxylic acid | A | 2 |
| Methyldesorphine | A | 2 |
| Methyldihydromorphine (6-methyldihydromorphine) | A | 2 |
| 6-methyldihydromorphine (methyldihydromorphine) | A | 2 |
| Methylene-dioxymethyl-amphetamine (MDMA) | A | 1 |
| Methylenedioxy-amphetamine (MDA) | A | 1 |
| 3,4-Methylenedioxy-amphetamine (MDA) | A | 1 |
| 3,4-Methylenedioxy-meth-amphetamine (MDMA) | A | 1 |
| 3,4-Methylenedioxy-N, N-dimethylamphetamine | A | 1 |
| 1-(3,4-Methylenedioxybenzyl)butyl(ethyl)amine | A | 1 |
| 1-(3,4-Methylenedioxybenzyl)butyl(methyl)amine | A | 1 |
| 4-Methylthioamphetamine | | |
| (also known as α -Methyl-4-(methylthio)phenethylamine | A | 1 |
| Metopon | A | 2 |
| Morpheridine | A | 2 |
| Morphine | A | 2/5④ |
| Morphine methobromide | | |
| (& morphine N-oxide & other pentavalent nitrogen morphine derivatives) | | |
| | A | 2 |
| N-(2,5-Dimethoxy-4-propylthiophenethyl)hydroxylamine | A | 1 |
| Myrophine | A | 2 |
| N-(4-sec-Butylthio-2,5-dimethoxyphenethyl)hydroxylamine | A | 1 |
| N-(4-Ethylthio-2,5-dimethoxyphenethyl)hydroxylamine | A | 1 |
| N-Hydroxyamphetamine | | |
| (also known as α -Methylphenethylhydroxylamine) | A | 1 |
| N-hydroxy-tenamphetamine | A | 1 |
| N-Methyl-N-(α -methyl-3,4-methylenedioxyphenethyl)hydroxylamine | | |
| | A | 1 |
| N,N-diethyltryptamine | A | 1 |
| N,N-dimethyltryptamine | A | 1 |
| Nicomorphine (3,6-dinicotinoyl-morphine) | A | 2 |
| Noracymethadol | A | 2 |
| Norlevorphanol | A | 2 |

| | | |
|--|---|-------|
| Normethadone | A | 2 |
| Normorphine | A | 2 |
| Norpipanone | A | 2 |
| O-Methyl-N-(α -methyl-3,4-methylenedioxyphenethyl)hydroxylamine | A | 1 |
| Opium: | | |
| - raw | A | 1 |
| - prepared or medicinal | A | 2/5④⑤ |
| Oxycodone | A | 2 |
| Oxymorphone | A | 2 |
| Pethidine | A | 2 |
| Phenadoxone | A | 2 |
| Phenampromide | A | 2 |
| Phenazocine | A | 2 |
| Phencyclidine | A | 2 |
| Phenomorphane | A | 2 |
| Phenoperidine | A | 2 |
| 1-phenylpropanecarboxylic acid ethyl ester | A | 2 |
| 4-phenylpiperidine-4-carboxylic acid ethyl ester | A | 2 |
| Piminodine | A | 2 |
| Piritramide | A | 2 |
| Poppy straw | A | N/A |
| Proheptazine | A | 2 |
| Propoperidine (1-methyl-4-phenyl-piperidine-4-carboxylic acid isopropyl ester) | A | 2 |
| Psilocin | A | 1 |
| Racemethorphan | A | 2 |
| Racemoramide | A | 2 |
| Racemorphan | A | 2 |
| Raw opium | A | 1 |
| Rolicyclidine | A | 1 |
| Sufentanil | A | 2 |
| Tenocyclidine | A | 1 |
| β ,3,4,5-Tetramethoxyphenethylamine | A | 1 |

| | | |
|--|---|------|
| Thebacon (acetyldihydrocodeinone) | A | 2 |
| Thebaine | A | 2 |
| Tilidate | A | 2 |
| Trimeperidine | A | 2 |
| β ,2,5-Trimethoxy-4-methylphenethylamine | A | 1 |
| Zipeprol | A | 2 |
| α,α -Dimethyl-3,4-methylenedioxyphenethylamine | A | 1 |
| α,α -Dimethyl-3,4-methylenedioxyphenethyl(methyl)amine | A | 1 |
| α -Methyl-3,4-methylenedioxyphenethyl(prop-2-ynyl)amine | A | 1 |
| α -Methyl-4-(methylthio)phenethylamine (also known as 4-Methylthioamphetamine) | A | 1 |
| α -Methylphenethylhydroxylamine (also known as N-Hydroxyamphetamine) | A | 1 |
| β -Methoxy-3,4-methylenedioxyphenethylamine | A | 1 |
| β ,3,4,5-Tetramethoxyphenethylamine | A | 1 |
| β ,2,5-Trimethoxy-4-methylphenethylamine | A | 1 |
| 1-methyl-4-phenylpiperidine-4-carboxylic acid | A | 2 |
| 1-methyl-4-phenyl-piperidine-4-carboxylic acid isopropyl ester (properidine) | A | 2 |
| 1-phenylpropanecarboxylic acid ethyl ester | A | 2 |
| 1-(3,4-Methylenedioxybenzyl)butyl(ethyl)amine | A | 1 |
| 1-(3,4-Methylenedioxybenzyl)butyl(methyl)amine | A | 1 |
| 1-3-cyano-3,3-diphenylpropyl-4-phenylpiperidine-4-carboxylic acid (difenoxin) | A | 2/5② |
| 2-Amino-1-(2,5-dimethoxy-4-methylphenyl)ethanol | A | 1 |
| 2-Amino-1-(3,4-dimethoxyphenyl)ethanol | A | 1 |
| 2-Methoxyethyl(α -methyl-3,4-methylenedioxyphenethyl)amine | A | 1 |
| 2-(α -Methyl-3,4-methylenedioxyphenethylamino)ethanol | A | 1 |
| 2-(1,4-Dimethoxy-2-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Dimethoxy-2-naphthyl)-1-methylethylamine | A | 1 |
| 2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Dimethoxy-5,6,7,8-tetrahydro-2-naphthyl)-1-methylethylamine | A | 1 |

| | | |
|---|---|---|
| 2-(1,4-Mehano-5,8-dimethoxy-1,2,3,4-tetrahydro-6-naphthyl)ethylamine | A | 1 |
| 2-(1,4-Mehano-5,8-dimethoxy-1,2,3,4-tetrahydro-6-naphthyl)-1-methylethylamine | A | 1 |
| 2-(2,5-Dimethoxy-4-methylphenyl)cyclopropylamine | A | 1 |
| 2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)ethylamine | A | 1 |
| 2-(4,7-Dimethoxy-2,3-dihydro-1H-indan-5-yl)-1-methylethylamine | A | 1 |
| 2-(5-Methoxy-2-methyl-2,3-dihydrobenzo[b]furam-6-yl)-1-methylethylamine | A | 1 |
| 2,5-dimethoxy- α , 4-dimethylphenethylamine | A | 1 |
| | A | 1 |
| 3-benzylmorphine (benzylmorphine) | A | 2 |
| 3,4-methylenedioxy-amphetamine (MDA) | A | 1 |
| 3,4-methylenedioxy-meth-amphetamine (MDMA) | A | 1 |
| 3,4-methylenedioxy-N, N-dimethylamphetamine | A | 1 |
| 3,6-dinicotinoyl-morphine (nicomorphine) | A | 2 |
| 4-bromo-2,5-dimethoxy- α -methylphenethylamine | A | 1 |
| 4-Bromo- β ,2,5-trimethoxyphenethylamine | A | 1 |
| 4-cyano-1-methyl-4-phenylpiperidine | A | 2 |
| 4-cyano-2-dimethylamino-4,4-diphenylbutane | A | 2 |
| 4-Iodo-2,5-dimethoxy- α -methylphenethyl(dimethyl)amine | A | 1 |
| 4-methyl-aminorex | A | 1 |
| 4-Methylthioamphetamine | | |
| (also known as α -Methyl-4-(methylthio)phenethylamine | A | 1 |
| 4-phenylpiperidine-4-carboxylic acid ethyl ester | A | 2 |
| 6-methyldihydromorphine (methyldihydromorphine) | A | 2 |

Notes:

- ① Falls within Schedule 5 if in a preparation containing not more than 0.1% of cocaine calculated as base, being a preparation compounded with one or more other active or inert ingredients in such a way that the cocaine cannot be recovered by readily applicable means or in a yield which would constitute a risk to health.

- ② Falls within Schedule 5 if in any preparation of difenoxin containing, per dosage unit, not more than 0.5 mg of difenoxin and a quantity of atropine sulphate equivalent to at least 5% of the dose of difenoxin.

- ③ Falls within Schedule 5 if in any preparation of diphenoxylate containing, per dosage unit, not more than 2.5 mg of diphenoxylate calculated as base, and a quantity of atropine sulphate equivalent to at least 1% of the dose of diphenoxylate.

- ④ Falls within Schedule 5 if in a preparation of medicinal opium or morphine containing (in either case) not more than 0.2% of morphine calculated as anhydrous morphine base, being a preparation compounded with one or more other active or inert ingredients in such a way that the opium or, as the case may be, the morphine, cannot be recovered by readily applicable means or in a yield which would constitute a risk to health.

- ⑤ Falls within Schedule 5 if in any powder of ipecacuanha and opium comprising:

10% opium, in powder
10% ipecacuanha root, in powder, well mixed with
80% of any other powdered ingredient containing no controlled drug